

WORLD VISION INTERNATIONAL SUDAN

World Vision is an international Christian humanitarian organization founded in 1950 with operations in nearly 100 countries worldwide.

World Vision Sudan has programmes presence in South Darfur, East Darfur, South Kordofan, Blue Nile, White Nile, Khartoum and Port Sudan.

Our interventions are in Education, Water Sanitation and Hygiene, Health and Nutrition, Food Assistance, Food Security and sustainable Livelihoods. World Vision serve all people regardless of religion, race, ethnic or gender.

1. **RFQ-Rehabilitation of Al-Oshara Water Yard in Om-Rimta Locality - White Nile State**
2. **Requisition No 4271432**
3. **Start Date for Advertisement: 2nd July 2026**

End Date for Advertisement: 5th July 2026 @ 12:00 PM Sudan Time

Working Days: Sunday – Thursday during working hours 8:00 AM – 5:00 PM.

Interested Bidders are requested to submit scanned complete electronic tender documents (**PDF**) via this **Email: SCM_Sudan@wvi.org**

4. Address your Bid to:

The Chairperson, Procurement Committee, World Vision International Sudan
World Vision International Sudan invites interested and competent vendors to participate in competitive bidding for below item

BOQ Rehabilitation of Al-Oshara Water Yard in Om-Rimta Locality - White Nile State

No.	Description	Unit	Quantity
1	M3 CAPACITY 50 & HIGHT M 6 - GRP ELEVATED TANK (GET) (breakdown in sheet GET-6-50 (The	No	1
2	Water Solar System		
2.1	Supply and install a Grundfos pump (SP 11-11) duty point Q = 11m ³ /h, H= 50m and Grundfos pump inverter RSI 7.5 KW with all accessories for protections as specified in inverter manual including mounting board and others (A Lorentz pump with the same duty point may be supplied and installed as an alternative).	Set	1
2.2	Supply and install Monocrystalline PV Module (Ameri, Longi, Jinko or Trina solar) with Maximum Power at STC(Pmax) - 660W, Open-Circuit Voltage (Voc)- 49.8V, Short-Circuit Current (Isc)-13.9A, Rated output (Pmpp)- 660W, rated current (Impp)-10.48A, Rated Voltage (Vmpp)- 42.10V Includes solar array, mounting structures, combiner boxes, wiring, lightning protection.	Pc	16
2.3	Supply and installed a complete Single-Arm 6-meter Aluminum pole Street Light, 200watts with photocell sensor	Pc	1

2.4	Supply and install Surge Protection DC- Device ABB-OVR T2 40-150 P U or DEHN guard or Phoenix (VAL-MS 60/FM Plug & box 15kA)	Pc	1
2.5	Supply and install Earth rod 2m and above and grounding accessories, including Clamps, lugs etc	Pc	1
2.6	Supply and install Spike lightening arrester 5m free from the ground cast by concrete grade 20	Pc	1
2.7	Provision and installation Motor cable 10 m 6 mm ² 3-phase cable for power and 1-phase cable for ground	M	75
2.8	UPVC 2-inch 3m length India type heavy type (according to ISO 1452-2:2009)	PCS	21
2.9	Supply and excavate, fabricate solar stand footing with plain concrete 1:2.5:5 cement sand and gravel in size 30X30X50cm depth and treated at least 4 times/day/4 days (see the drawing)	foundation	6
2.10	Supply , fabricate, construction and installation of solar stand with 12 UB as stand column 120 X 70 X 6mm steel beam includes tension members connection with heavy steel angle (asad)use steel plate 6 mm to connect each 4 members, the solar cells supposed to stand on 2 steel beams 127 X127X 13KG connected with column by high strength weld 8mm , the solar cells supposed to connected together by 2" heavy iron angle(asad) as frame externally and heavy iron angle 1.5" internally to be as be net to connect overall solar cells together to one unit foundation.	job	1
3	Chain - Link Fence 20X20 m for solar system		
	Pricing shall include all necessary fittings and accessories for fence fixing. All materials should be approved by engineers prior to construction in site. All steel sections should be painted. Colors must be according to Engineer instructions.		
3.1	Supply, excavate and fix chain-link fence with following specifications: Supports are from 2" circular steel pipes of 1.2mm thickness and height not less than 1.5 m above ground, fixed in plain concrete (1:2:4) footing size (0.40m x 0.40m x 0.50m). 2.8 mm Chain-link is fixed on the supports Three 12mm steel bars are to be provided at top, middle and bottom of fence according to drawings. Struts are to be made of 2½" steel angles at corners according to drawings.	l.m	80
3.2	Gate size (2.00m x 1.50m) consists of two leafs. External frame from steel box section 4x8 cm and internal frames of steel box section 3x6 cm. Leaf filling is with steel sections 2x4cm vertically and horizontally each 15cm. Gate supports are from steel sections 5x10 cm fixed on plain concrete footing (0.50m x 0.50m x 0.60m). All steel sections must be painted with red-oxide paint and 2 coats of approved oil paint.	Job	1
4	Water supply points		
4.1.1	excavation 600ml 40cmX30cmX600m	ml	600
4.1.2	provision and laying of 600ml HDPE 2" and necessary accessories (according to ASTM standard F2619-13)	ml	600
4.2	PUBLIC TAPSTANDS (refer to sheet PUBLIC TAPSTANDS)	No.	1
4.3	Cart Filling Point (refer to sheet CART AND TANKER FILLING POINT)	No.	2
5	for distribution point Chain - Link Fence 6X5 m		

	Pricing shall include all necessary fittings and accessories for fence fixing. All materials should be approved by engineers prior to construction in site. All steel sections should be painted. Colors must be according to Engineer instructions.		
5.1	Supply, excavate and fix chain-link fence with following specifications: Supports are from 2" circular steel pipes of 2 mm thickness and height not less than 1.5 m above ground, fixed in plain concrete (1:2:4) footing size (0.40m x 0.40m x 0.50m). 3.2 mm Chain-link is fixed on the supports Three 16 mm steel bars are to be provided at top, middle and bottom of fence according to drawings. Struts are to be made of 2½" steel angles at corners according to drawings.	l.m	22
5.2	Gate size (1.2m x 1.80m) consists of two leafs. External frame from steel box section 4x8 cm and internal frames of steel box section 3x6 cm. Leaf filling is with steel sections 2x4cm vertically and horizontally each 15cm. Gate supports are from steel sections 5x10 cm fixed on plain concrete footing (0.40m x 0.40m x 0.50m). All steel sections must be painted with red-oxide paint and 2 coats of approved oil paint.	Job	1
6	Operation Room		
6.1	Provide material and construction operation room, room made of steel angles and iron corrugated sheet 0.32 for the roof and plain concert for the floor with one door and two windows, dimensions: 4m x 4m and 3m Hight.	Job	1
7	Diesel generator		
7.1	Provision and installation of Generator 10 KVA single phase such as Perkins UK or equivalent Eurben made	Set	1
8	Signpost		
8.1	Supply and fix donor signpost (Size 1.5m x 2.5m) as Per Project Manager recommendation and Guidance	Unit	1
8.2	Supply and fix an engraved marble stone at the station with BH specifications, including donor logos (size: 0.5 m × 0.5 m), as per the Project Manager's recommendation and guidance	Unit	1

This Tender is open to all qualified and capable firms, contractors and companies working in related nature of similar works in the operation area.

World Vision Sudan is in **Transit, Port Sudan Country Office.**

World Vision International reserves the right to accept or reject any application and is not bound to give reasons for its informed decision

3 Instructions for Vendors intend to participate in competitive Bidding

3.1.1 Vendors need to designate the name of the contact person within their organization who will serve as the main contact for this process, along with his / her title, address, phone number and e-mail address. You agree to destroy all information in this document if you choose to decline participation in this tender process.

3.1.2 You must submit your written electronic or hard copies of your response, attached with your company profile and the bidding documents respectively to be received by World Vision Sudan program

3.1.3 All responses and supporting documentation shall become the property of World Vision and will not be returned.

- 3.1.4 World Vision ultimately reserves the right throughout this process to select any servicing option that best meets its business requirements and to hold discussions with all respondents.
- 3.1.5 You must agree to the following conditions if you choose to respond to World Vision regarding this tender
- a) Neither issuance of this Invitation to Tender (ITT) nor receipt of proposals represents a commitment on the part of World Vision Sudan.
 - b) If World Vision chooses your firm, the terms and conditions in this tender document is a non-inclusive list of terms and conditions that will be included in any binding agreement between you and World Vision International Sudan or any office in World Vision Partnership.
 - c) In your proposal submitted to World Vision Sudan, you must indicate any issues you may have in accepting any of these terms and conditions.
 - d) World Vision will not be responsible for, or in any way liable for, any costs incurred by vendors in the preparation of any responses or presentations relating to this Invitation to Tender or Invitation to Bid.
- 3.1.6 This document is provided for the exclusive use of your firm and copies shall not be made available to any other party, without written consent from the procurement Committee.
- 3.1.7 Both you and World Vision acknowledge that they may come in contact with non-public information, which is considered confidential or proprietary to the other, including this document itself.

Each party agrees not to use such information for its own benefit or allow it to be released to or used by others.

Each party agrees to exercise reasonable care to prevent disclosure to any third party.

- 3.1.8 Neither party shall use the name of the other in publicity releases, referrals, advertising, or similar activity without the prior written consent of the other.

4. Required Written Response

Vendors need to respond in a format that refers to the following sections and numbered items and must specifically address each request for information contained herein.

If you are unable to comply with any information requested, an explanation must be provided as part of the response.

4.1 Company Information

- 1) List your company's full name, corporate address, telephone number, Email Address and fax number.
- 2) List your company's primary contact and back-up contact for this **RFQ**. Please include title, address, telephone#, fax number & email address.
- 3) Describe your experience in partnering with other NGO clients (if any)
- 4) Provide your company's audited financial statements for the current year and the last [THREE?] fiscal year[S].
- 5) Provide a list of your major customers, with contact information, that are similar in size and culture as World Vision and have contracted with your

- 6) company for similar requirements. World Vision may choose to contact them for reference purposes.
- 7) Provide a list of any subcontractors that your company uses or will use to provide the goods and/ or services requested by World Vision.
- 8) Describe any conflicts of interest that your company may have in entering a relationship with World Vision.

4.2 Timing.

State very clearly the lead time expected for delivery of the listed items, we considered all items its original

4.3 Pricing & Pricing Methodology

Vendor must also provide any discounts that would apply to World Vision for fees paid in advance of the payment due dates

5. AWARD CRITERIA

Award of the Contract shall be based on the following criteria:

Documentation Required:

- Matching Company Name and Bank Account Name (SDG/USD)
- Company Registration Certificates
- Certificate of Incorporation
- Tax Registration Certificate (Tax Identification# and Tax Clearance)
- Operation License
- Chamber of Commerce
- Valid Trading Licenses
- Value Added Tax (VAT) Registration Certificate
- Financial Capacity (Bank Statement)
Recent Bank statement (past 3 months) with substantial amount to proof ability to pre-finance upcoming contract (minimum 30% of total contract)
- Income Tax Clearance Certificate from previous year
- Price quoted above or below the 10% limit based on the reserve price
- Company human resource capacity Chart (Technical Capacity
- Company physical address (office location)

6. Service Delivery Issues

- Evidence of your understanding of our business needs
- Ability to offer the appropriate product at an economically advantageous price to WV Sudan Program
- Facilities available for on-line access
- Quality and quantity of resources, and service provision.
- How efficient and effective your working methods will be
- Ability to handle emergency situations with quick turnaround within, but also after normal business hours
- Key strength: detail of any services that are unique to service provider
- Clear Work Plan to implement once "Go ahead" decision is made
- Reputation and client references

7. Price

- Clear breakdown of costs as per table provided by WV Sudan Program

- Proposals for future continuous improvement that should result in costs being reduced throughout the life of the contract
- Additional services that the service provider would be willing to provide World Vision Sudan program at no cost.
- Willingness to renegotiate prices in the process of contract award.
- Selection Criteria:
 - Proven Quality assurance & convenient Lead times to complete works
 - Realistic quotes within 10% (higher/Lower) than the reserved price.
 - Total cost inclusive VAT, in a neatly filled out BOQ.
 - Bid documents with Unclear and or distorted figures (quantity/costs) in BOQ shall not be considered for competition but shall be disqualified from the tender process.

For any clarification or inquiries on this tender, please contact, the Supply Chain Management in World Vision International Sudan Programme.

Email: SCM_Sudan@wvi.org

Vendors may not enter communications or negotiations with other World Vision staff about this tender without the prior written permission of the Procurement committee.

We look forward to receiving a proposal & thank for interest in our account.

Secretariat, Procurement Committee
World Vision International Sudan

Do Not Edit this Document Sign & Stamp to verify you go through the tender requirement

Submit the Company Proforma Invoice with the Financial Offer الرجاء إرفاق الفاتورة مع العرض المالي