



*Empowered lives.
Resilient nations.*

INVITATION TO BID

Establishing LTA(s) for Supply and Delivery of Tractors and Implements

Event ID: 0000004943

ITB No.: ITB/KRT/DDR/19/04

Project: C2SP

Country: Sudan

Issued on: 26 November 2019

Section 1. Letter of Invitation.....4

If you are interested in submitting a Bid in response to this ITB, please prepare your Bid in accordance with the requirements and procedure as set out in this ITB and submit it by the Deadline for Submission of Bids set out in Bid Data Sheet by logging into the following link:4

Section 2. Instruction to Bidders6

 GENERAL PROVISIONS..... 6

 1. Introduction6

 2. Fraud & Corruption, Gifts and Hospitality.....6

 3. Eligibility6

 4. Conflict of Interests7

B. PREPARATION OF BIDS..... 7

 5. General Considerations7

 6. Cost of Preparation of Bid8

 7. Language8

 8. Documents Comprising the Bid8

 9. Documents Establishing the Eligibility and Qualifications of the Bidder8

 10. Technical Bid Format and Content8

 11. Price Schedule.....8

 12. Bid Security8

 13. Currencies9

 14. Joint Venture, Consortium or Association.....9

 15. Only One Bid 10

 16. Bid Validity Period..... 10

 17. Extension of Bid Validity Period 10

 18. Clarification of Bid (from the Bidders)..... 11

 19. Amendment of Bids 11

 20. Alternative Bids..... 11

 21. Pre-Bid Conference..... 11

C. SUBMISSION AND OPENING OF BIDS..... 12

 22. Submission 12

 Hard copy (manual) submission..... 12

 Email and e Tendering submissions..... 12

 23. Deadline for Submission of Bids and Late Bids 12

 24. Withdrawal, Substitution, and Modification of Bids..... 13

 25. Bid Opening..... 13

D. EVALUATION OF BIDS..... 13

 26. Confidentiality..... 13

 27. Evaluation of Bids 13

 28. Preliminary Examination 14

29. Evaluation of Eligibility and Qualification	14
30. Evaluation of Technical Bid and prices	14
31. Due diligence	14
32. Clarification of Bids.....	15
33. Responsiveness of Bid	15
34. Nonconformities, Reparable Errors and Omissions.....	15
E. AWARD OF CONTRACT.....	16
35. Right to Accept, Reject, Any or All Bids	16
36. Award Criteria.....	16
37. Debriefing.....	16
38. Right to Vary Requirements at the Time of Award	16
39. Contract Signature.....	16
40. Contract Type and General Terms and Conditions.....	16
41. Performance Security	16
42. Bank Guarantee for Advanced Payment	16
43. Liquidated Damages	17
44. Payment Provisions	17
45. Vendor Protest.....	17
46. Other Provisions	17
Section 3. Bid Data Sheet.....	18
Section 4. Evaluation Criteria	23
Section 5a: Technical Specifications.....	26
Section 5b: Schedule of Requirements	36
Form A: Bid Submission Form	39
Form B: Bidder Information Form	40
Form D: Eligibility and Qualification Form	44
Form E: Format of Technical Bid.....	46
FORM G: Form of Bid Security.....	61
FORM H: Form of Performance Security.....	62
SIGNATURE AND SEAL OF THE GUARANTOR BANK	62

Section 1. Letter of Invitation

The United Nations Development Programme (UNDP) hereby invites you to submit a Bid to this Invitation to Bid (ITB) for the above-referenced subject.

This ITB includes the following documents and the General Terms and Conditions of Contract which is inserted in the Bid Data Sheet:

- Section 1: This Letter of Invitation
- Section 2: Instruction to Bidders
- Section 3: Bid Data Sheet (BDS)
- Section 4: Evaluation Criteria
- Section 5: Schedule of Requirements and Technical Specifications
- Section 6: Returnable Bidding Forms
 - Form A: Bid Submission Form
 - Form B: Bidder Information Form
 - Form C: Joint Venture/Consortium/Association Information Form
 - Form D: Qualification Form
 - Form E: Format of Technical Bid
 - Form F: Price Schedule
 - Form G: Form of Bid Security
 - Form H: Form of Performance Security

If you are interested in submitting a Bid in response to this ITB, please prepare your Bid in accordance with the requirements and procedure as set out in this ITB and submit it by the Deadline for Submission of Bids set out in Bid Data Sheet by logging into the following link:

<https://etendering.partneragencies.org>

Event ID: [SDN10-0000004943](#)

In case your company is not registered in the e-Tendering Module, please use the following temporary username and password to register your company/firm:

Username: [event.guest](#)

Password: [why2change](#)

Bidders who will be registered on the e-Tendering will be able to download the complete bidding documents from the e-Tendering website at: <https://etendering.partneragencies.org>

“Bidders can download the complete tender documentation from the e-Tendering upon registration”.

UNDP also intends to organize a pre-bid conference on **04 December** 2019 at 10:00 (Sudan time). The details are provided in “BDS No. 4 Section 3. Bid Data Sheet”.

If you need further information, please feel free to contact the following:

Focal Person in UNDP: Mona Ibrahim, Procurement Associate

E-mail address: mona.ibrahim@undp.org and copying mehdi.khalili@undp.org

You may acknowledge receipt of this ITB utilize the “Accept Invitation” function in eTendering system, where applicable. This will enable you to receive amendments or updates to the ITB. Should you require further clarifications, kindly communicate with the contact person/s identified in the attached Data Sheet as the focal point for queries on this ITB.

UNDP looks forward to receiving your Bid and thank you in advance for your interest in UNDP procurement opportunities.

Issued by:

Approved by:

Names: Mona Ibrahim
Title: Procurement Associate
Date: November 26, 2019

Name: Mehdi Khalili
Title: Head of Procurement
Date: November 26, 2019

GENERAL PROVISIONS	
1. Introduction	<p>1.1 Bidders shall adhere to all the requirements of this ITB, including any amendments made in writing by UNDP. This ITB is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement which can be accessed at https://popp.undp.org/SitePages/POPPBSUnit.aspx?TermID=254a9f96-b883-476a-8ef8-e81f93a2b38d</p> <p>1.2 Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this ITB.</p> <p>1.3 UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.</p> <p>1.4 As part of the bid, it is desired that the Bidder registers at the United Nations Global Marketplace (UNGM) website (www.ungm.org). The Bidder may still submit a bid even if not registered with the UNGM. However, if the Bidder is selected for contract award, the Bidder must register on the UNGM prior to contract signature.</p>
2. Fraud & Corruption, Gifts and Hospitality	<p>2.1 UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_andinvestigation.html#anti</p> <p>2.2 Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches or dinners.</p> <p>2.3 In pursuance of this policy, UNDP:</p> <p>(a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question;</p> <p>(b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.</p> <p>2.4 All Bidders must adhere to the UN Supplier Code of Conduct, which may be found at http://www.un.org/depts/ptd/pdf/conduct_english.pdf</p>
3. Eligibility	<p>3.1 A vendor should not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension</p>

	<p>imposed by these organizations.</p> <p>3.2 It is the Bidder’s responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.</p>
4. Conflict of Interests	<p>4.1 Bidders must strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified. Without limitation on the generality of the above, Bidders, and any of their affiliates, shall be considered to have a conflict of interest with one or more parties in this solicitation process, if they:</p> <ul style="list-style-type: none"> a) Are or have been associated in the past, with a firm or any of its affiliates which have been engaged by UNDP to provide services for the preparation of the design, specifications, Terms of Reference, cost analysis/estimation, and other documents to be used for the procurement of the goods and services in this selection process; b) Were involved in the preparation and/or design of the programme/project related to the goods and/or services requested under this ITB; or c) Are found to be in conflict for any other reason, as may be established by, or at the discretion of UNDP. <p>4.2 In the event of any uncertainty in the interpretation of a potential conflict of interest, Bidders must disclose to UNDP, and seek UNDP’s confirmation on whether or not such conflict exists.</p> <p>4.3 Similarly, the Bidders must disclose in their Bid their knowledge of the following:</p> <ul style="list-style-type: none"> a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this ITB; and b) All other circumstances that could potentially lead to actual or perceived conflict of interest, collusion or unfair competition practices. Failure to disclose such an information may result in the rejection of the Bid or Bids affected by the non-disclosure. <p>4.4 The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP’s further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this ITB, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.</p>
B. PREPARATION OF BIDS	
5. General Considerations	<p>5.1 In preparing the Bid, the Bidder is expected to examine the ITB in detail. Material deficiencies in providing the information requested in the ITB may result in rejection of the Bid.</p> <p>5.2 The Bidder will not be permitted to take advantage of any errors or omissions in the ITB. Should such errors or omissions be discovered, the</p>

	Bidder must notify the UNDP accordingly.
6. Cost of Preparation of Bid	6.1 The Bidder shall bear all costs related to the preparation and/or submission of the Bid, regardless of whether its Bid is selected or not. UNDP shall not be responsible or liable for those costs, regardless of the conduct or outcome of the procurement process.
7. Language	7.1 The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the BDS.
8. Documents Comprising the Bid	8.1 The Bid shall comprise of the following documents and related forms which details are provided in the BDS: <ul style="list-style-type: none"> a) Documents Establishing the Eligibility and Qualifications of the Bidder; b) Technical Bid; c) Price Schedule; d) Bid Security, if required by BDS; e) Any attachments and/or appendices to the Bid.
9. Documents Establishing the Eligibility and Qualifications of the Bidder	9.1 The Bidder shall furnish documentary evidence of its status as an eligible and qualified vendor, using the Forms provided under Section 6 and providing documents required in those forms. In order to award a contract to a Bidder, its qualifications must be documented to UNDP's satisfaction.
10. Technical Bid Format and Content	10.1 The Bidder is required to submit a Technical Bid using the Standard Forms and templates provided in Section 6 of the ITB. 10.2 Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified. 10.3 When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS. 10.4 When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB.
11. Price Schedule	11.1 The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB. 11.2 Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.
12. Bid Security	12.1 A Bid Security, if required by BDS, shall be provided in the amount and form indicated in the BDS. The Bid Security shall be valid for a minimum of thirty (30) days after the final date of validity of the Bid. 12.2 The Bid Security shall be included along with the Bid. If Bid Security is required by the ITB but is not found in the Bid, the offer shall be rejected.

	<p>12.3 If the Bid Security amount or its validity period is found to be less than what is required by UNDP, UNDP shall reject the Bid.</p> <p>12.4 In the event an electronic submission is allowed in the BDS, Bidders shall include a copy of the Bid Security in their bid and the original of the Bid Security must be sent via courier or hand delivery as per the instructions in BDS.</p> <p>12.5 The Bid Security may be forfeited by UNDP, and the Bid rejected, in the event of any, or combination, of the following conditions:</p> <ul style="list-style-type: none"> a) If the Bidder withdraws its offer during the period of the Bid Validity specified in the BDS, or; b) In the event the successful Bidder fails: <ul style="list-style-type: none"> i. to sign the Contract after UNDP has issued an award; or ii. to furnish the Performance Security, insurances, or other documents that UNDP may require as a condition precedent to the effectivity of the contract that may be awarded to the Bidder.
<p>13. Currencies</p>	<p>13.1 All prices shall be quoted in the currency or currencies indicated in the BDS. Where Bids are quoted in different currencies, for the purposes of comparison of all Bids:</p> <ul style="list-style-type: none"> a) UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in accordance with the prevailing UN operational rate of exchange on the last day of submission of Bids; and b) In the event that UNDP selects a Bid for award that is quoted in a currency different from the preferred currency in the BDS, UNDP shall reserve the right to award the contract in the currency of UNDP's preference, using the conversion method specified above.
<p>14. Joint Venture, Consortium or Association</p>	<p>14.1 If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture.</p> <p>14.2 After the Deadline for Submission of Bid, the lead entity identified to represent the JV, Consortium or Association shall not be altered without the prior written consent of UNDP.</p> <p>14.3 The lead entity and the member entities of the JV, Consortium or Association shall abide by the provisions of Clause 9 herein in respect of submitting only one Bid.</p> <p>14.4 The description of the organization of the JV, Consortium or Association must clearly define the expected role of each of the entities in the joint venture in delivering the requirements of the ITB, both in the Bid and the JV, Consortium or Association Agreement. All entities that comprise the JV, Consortium or Association shall be subject to the eligibility and qualification assessment by UNDP.</p>

	<p>14.5 A JV, Consortium or Association in presenting its track record and experience should clearly differentiate between:</p> <ul style="list-style-type: none"> a) Those that were undertaken together by the JV, Consortium or Association; and b) Those that were undertaken by the individual entities of the JV, Consortium or Association. <p>14.6 Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the JV, Consortium or Association or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials</p> <p>14.7 JV, Consortium or Associations are encouraged for high value, multi-sectoral requirements when the spectrum of expertise and resources required may not be available within one firm.</p>
<p>15. Only One Bid</p>	<p>15.1 The Bidder (including the individual members of any Joint Venture) shall submit only one Bid, either in its own name or as part of a Joint Venture.</p> <p>15.2 Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:</p> <ul style="list-style-type: none"> a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or c) they have the same legal representative for purposes of this ITB; or d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of another Bidder regarding this ITB process; e) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this ITB process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
<p>16. Bid Validity Period</p>	<p>16.1 Bids shall remain valid for the period specified in the BDS, commencing on the Deadline for Submission of Bids. A Bid valid for a shorter period may be rejected by UNDP and rendered non-responsive.</p> <p>16.2 During the Bid validity period, the Bidder shall maintain its original Bid without any change, including the availability of the Key Personnel, the proposed rates and the total price.</p>
<p>17. Extension of Bid Validity Period</p>	<p>17.1 In exceptional circumstances, prior to the expiration of the Bid validity period, UNDP may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing and shall be considered integral to the Bid.</p> <p>17.2 If the Bidder agrees to extend the validity of its Bid, it shall be done without any change to the original Bid.</p>

	17.3 The Bidder has the right to refuse to extend the validity of its Bid, in which case, the Bid shall not be further evaluated.
18. Clarification of Bid (from the Bidders)	<p>18.1 Bidders may request clarifications on any of the ITB documents no later than the date indicated in the BDS. Any request for clarification must be sent in writing in the manner indicated in the BDS. If inquiries are sent other than specified channel, even if they are sent to a UNDP staff member, UNDP shall have no obligation to respond or confirm that the query was officially received.</p> <p>18.2 UNDP will provide the responses to clarifications through the method specified in the BDS.</p> <p>18.3 UNDP shall endeavour to provide responses to clarifications in an expeditious manner, but any delay in such response shall not cause an obligation on the part of UNDP to extend the submission date of the Bids, unless UNDP deems that such an extension is justified and necessary.</p>
19. Amendment of Bids	<p>19.1 At any time prior to the deadline of Bid submission, UNDP may for any reason, such as in response to a clarification requested by a Bidder, modify the ITB in the form of an amendment to the ITB. Amendments will be made available to all prospective bidders.</p> <p>19.2 If the amendment is substantial, UNDP may extend the Deadline for submission of Bid to give the Bidders reasonable time to incorporate the amendment into their Bids.</p>
20. Alternative Bids	<p>20.1 Unless otherwise specified in the BDS, alternative Bids shall not be considered. If submission of alternative Bid is allowed by BDS, a Bidder may submit an alternative Bid, but only if it also submits a Bid conforming to the ITB requirements. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative Bid.</p> <p>20.2 If multiple/alternative bids are being submitted, they must be clearly marked as “Main Bid” and “Alternative Bid”</p>
21. Pre-Bid Conference	21.1 When appropriate, a pre-bid conference will be conducted at the date, time and location specified in the BDS. All Bidders are encouraged to attend. Non-attendance, however, shall not result in disqualification of an interested Bidder. Minutes of the Bidder’s conference will be disseminated on the procurement website and shared by email or on the e-Tendering platform as specified in the BDS. No verbal statement made during the conference shall modify the terms and conditions of the ITB, unless specifically incorporated in the Minutes of the Bidder’s Conference or issued/posted as an amendment to ITB.

C. SUBMISSION AND OPENING OF BIDS

22. Submission	<p>22.1 The Bidder shall submit a duly signed and complete Bid comprising the documents and forms in accordance with requirements in the BDS. The Price Schedule shall be submitted together with the Technical Bid. Bid can be delivered either personally, by courier, or by electronic method of transmission as specified in the BDS.</p> <p>22.2 The Bid shall be signed by the Bidder or person(s) duly authorized to commit the Bidder. The authorization shall be communicated through a document evidencing such authorization issued by the legal representative of the bidding entity, or a Power of Attorney, accompanying the Bid.</p> <p>22.3 Bidders must be aware that the mere act of submission of a Bid, in and of itself, implies that the Bidder fully accepts the UNDP General Contract Terms and Conditions.</p>
Hard copy (manual) submission	<p>22.4 Hard copy (manual) submission by courier or hand delivery allowed or specified in the BDS shall be governed as follows:</p> <p>a) The signed Bid shall be marked “Original”, and its copies marked “Copy” as appropriate. The number of copies is indicated in the BDS. All copies shall be made from the signed original only. If there are discrepancies between the original and the copies, the original shall prevail.</p> <p>(b) The Technical Bid and Price Schedule must be sealed and submitted together in an envelope, which shall:</p> <ol style="list-style-type: none"> i. Bear the name of the Bidder; ii. Be addressed to UNDP as specified in the BDS; and iii. Bear a warning not to open before the time and date for Bid opening as specified in the BDS. <p>If the envelope with the Bid is not sealed and marked as required, UNDP shall assume no responsibility for the misplacement, loss, or premature opening of the Bid.</p>
Email and e Tendering submissions	<p>22.5 Electronic submission through email or eTendering, if allowed as specified in the BDS, shall be governed as follows:</p> <ol style="list-style-type: none"> a) Electronic files that form part of the Bid must be in accordance with the format and requirements indicated in BDS; b) Documents which are required to be in original form (e.g. Bid Security, etc.) must be sent via courier or hand delivered as per the instructions in BDS. <p>22.6 Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link: http://www.undp.org/content/undp/en/home/operations/procurement/business/procurement-notices/resources/</p>
23. Deadline for Submission of Bids and Late Bids	<p>23.1 Complete Bids must be received by UNDP in the manner, and no later than the date and time, specified in the BDS. UNDP shall only recognise the actual date and time that the bid was received by UNDP. UNDP shall not consider any Bid that is received after the deadline for the submission of Bids.</p>

<p>24. Withdrawal, Substitution, and Modification of Bids</p>	<p>24.1 A Bidder may withdraw, substitute or modify its Bid after it has been submitted at any time prior to the deadline for submission.</p> <p>24.2 Manual and Email submissions: A bidder may withdraw, substitute or modify its Bid by sending a written notice to UNDP, duly signed by an authorized representative, and shall include a copy of the authorization (or a Power of Attorney). The corresponding substitution or modification of the Bid, if any, must accompany the respective written notice. All notices must be submitted in the same manner as specified for submission of Bids, by clearly marking them as “WITHDRAWAL” “SUBSTITUTION,” or “MODIFICATION”</p> <p>24.3 eTendering: A Bidder may withdraw, substitute or modify its Bid by Cancelling, Editing, and re-submitting the Bid directly in the system. It is the responsibility of the Bidder to properly follow the system instructions, duly edit and submit a substitution or modification of the Bid as needed. Detailed instructions on how to cancel or modify a Bid directly in the system are provided in the Bidder User Guide and Instructional videos.</p> <p>24.4 Bids requested to be withdrawn shall be returned unopened to the Bidders (only for manual submissions), except if the bid is withdrawn after the bid has been opened.</p>
<p>25. Bid Opening</p>	<p>25.1 UNDP will open the Bid in the presence of an ad-hoc committee formed by UNDP of at least two (2) members.</p> <p>25.2 The Bidders’ names, modifications, withdrawals, the condition of the envelope labels/seals, the number of folders/files and all other such other details as UNDP may consider appropriate, will be announced at the opening. No Bid shall be rejected at the opening stage, except for late submissions, in which case, the Bid shall be returned unopened to the Bidders.</p> <p>25.3 In the case of e-Tendering submission, bidders will receive an automatic notification once the Bid is opened.</p>
<p>D. EVALUATION OF BIDS</p>	
<p>26. Confidentiality</p>	<p>26.1 Information relating to the examination, evaluation, and comparison of Bids, and the recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process, even after publication of the contract award.</p> <p>26.2 Any effort by a Bidder or anyone on behalf of the Bidder to influence UNDP in the examination, evaluation and comparison of the Bids or contract award decisions may, at UNDP’s decision, result in the rejection of its Bid and may subsequently be subject to the application of prevailing UNDP’s vendor sanctions procedures.</p>
<p>27. Evaluation of Bids</p>	<p>27.1 UNDP will conduct the evaluation solely on the basis of the Bids received.</p> <p>27.2 Evaluation of Bids shall be undertaken in the following steps:</p> <ul style="list-style-type: none"> a) Preliminary Examination including Eligibility b) Arithmetical check and ranking of bidders who passed preliminary examination by price. c) Qualification assessment (if pre-qualification was not done) a) Evaluation of Technical Bids

	<p>b) Evaluation of prices Detailed evaluation will be focussed on the 3 - 5 lowest priced bids. Further higher priced bids shall be added for evaluation if necessary</p>
28. Preliminary Examination	<p>28.1 UNDP shall examine the Bids to determine whether they are complete with respect to minimum documentary requirements, whether the documents have been properly signed, and whether the Bids are generally in order, among other indicators that may be used at this stage. UNDP reserves the right to reject any Bid at this stage.</p>
29. Evaluation of Eligibility and Qualification	<p>29.1 Eligibility and Qualification of the Bidder will be evaluated against the Minimum Eligibility/Qualification requirements specified in the Section 4 (Evaluation Criteria).</p> <p>29.2 In general terms, vendors that meet the following criteria may be considered qualified:</p> <ol style="list-style-type: none"> a) They are not included in the UN Security Council 1267/1989 Committee's list of terrorists and terrorist financiers, and in UNDP's ineligible vendors' list; b) They have a good financial standing and have access to adequate financial resources to perform the contract and all existing commercial commitments, c) They have the necessary similar experience, technical expertise, production capacity, quality certifications, quality assurance procedures and other resources applicable to the supply of goods and/or services required; d) They are able to comply fully with the UNDP General Terms and Conditions of Contract; e) They do not have a consistent history of court/arbitral award decisions against the Bidder; and f) They have a record of timely and satisfactory performance with their clients.
30. Evaluation of Technical Bid and prices	<p>30.1 The evaluation team shall review and evaluate the Technical Bids on the basis of their responsiveness to the Schedule of Requirements and Technical Specifications and other documentation provided, applying the procedure indicated in the BDS and other ITB documents. When necessary, and if stated in the BDS, UNDP may invite technically responsive bidders for a presentation related to their technical Bids. The conditions for the presentation shall be provided in the bid document where required.</p>
31. Due diligence	<p>31.1 UNDP reserves the right to undertake a due diligence exercise, aimed at determining to its satisfaction, the validity of the information provided by the Bidder. Such exercise shall be fully documented and may include, but need not be limited to, all or any combination of the following:</p> <ol style="list-style-type: none"> a) Verification of accuracy, correctness and authenticity of information provided by the Bidder; b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team; c) Inquiry and reference checking with Government entities with jurisdiction on the Bidder, or with previous clients, or any other entity that may have done business with the Bidder; d) Inquiry and reference checking with previous clients on the

	<p>performance on on-going or completed contracts, including physical inspections of previous works, as deemed necessary;</p> <p>e) Physical inspection of the Bidder's offices, branches or other places where business transpires, with or without notice to the Bidder;</p> <p>f) Other means that UNDP may deem appropriate, at any stage within the selection process, prior to awarding the contract.</p>
32. Clarification of Bids	<p>32.1 To assist in the examination, evaluation and comparison of Bids, UNDP may, at its discretion, request any Bidder for a clarification of its Bid.</p> <p>32.2 UNDP's request for clarification and the response shall be in writing and no change in the prices or substance of the Bid shall be sought, offered, or permitted, except to provide clarification, and confirm the correction of any arithmetic errors discovered by UNDP in the evaluation of the Bids, in accordance with the ITB.</p> <p>32.3 Any unsolicited clarification submitted by a Bidder in respect to its Bid, which is not a response to a request by UNDP, shall not be considered during the review and evaluation of the Bids.</p>
33. Responsiveness of Bid	<p>33.1 UNDP's determination of a Bid's responsiveness will be based on the contents of the bid itself. A substantially responsive Bid is one that conforms to all the terms, conditions, specifications and other requirements of the ITB without material deviation, reservation, or omission.</p> <p>33.2 If a bid is not substantially responsive, it shall be rejected by UNDP and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.</p>
34. Nonconformities, Repairable Errors and Omissions	<p>34.1 Provided that a Bid is substantially responsive, UNDP may waive any non-conformities or omissions in the Bid that, in the opinion of UNDP, do not constitute a material deviation.</p> <p>34.2 UNDP may request the Bidder to submit the necessary information or documentation, within a reasonable period, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.</p> <p>34.3 For the bids that have passed the preliminary examination, UNDP shall check, and correct arithmetical errors as follows:</p> <p>a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of UNDP there is an obvious misplacement of the decimal point in the unit price; in which case, the line item total as quoted shall govern and the unit price shall be corrected;</p> <p>b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail, and the total shall be corrected; and</p> <p>c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to</p>

	<p>an arithmetic error, in which case the amount in figures shall prevail.</p> <p>34.4 If the Bidder does not accept the correction of errors made by UNDP, its Bid shall be rejected.</p>
E. AWARD OF CONTRACT	
35. Right to Accept, Reject, Any or All Bids	35.1 UNDP reserves the right to accept or reject any bid, to render any or all of the bids as non-responsive, and to reject all Bids at any time prior to award of contract, without incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for UNDP's action. UNDP shall not be obliged to award the contract to the lowest priced offer.
36. Award Criteria	36.1 Prior to expiration of the period of Bid validity, UNDP shall award the contract to the qualified and eligible Bidder that is found to be responsive to the requirements of the Schedule of Requirements and Technical Specification and has offered the lowest price.
37. Debriefing	37.1 In the event that a Bidder is unsuccessful, the Bidder may request for a debriefing from UNDP. The purpose of the debriefing is to discuss the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving its future Bids for UNDP procurement opportunities. The content of other Bids and how they compare to the Bidder's submission shall not be discussed.
38. Right to Vary Requirements at the Time of Award	38.1 At the time of award of Contract, UNDP reserves the right to vary the quantity of goods and/or services, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
39. Contract Signature	39.1 Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or call for new Bids.
40. Contract Type and General Terms and Conditions	40.1 The types of Contract to be signed and the applicable UNDP Contract General Terms and Conditions, as specified in BDS, can be accessed at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
41. Performance Security	41.1 A performance security, if required in the BDS, shall be provided in the amount specified in BDS and form available at https://popp.undp.org/layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_DOCUMENT_LIBRARY/Public/PSU_Solicitation_Performance%20Guarantee%20Form.docx&action=default within a maximum of fifteen (15) days of the contract signature by both parties. Where a performance security is required, the receipt of the performance security by UNDP shall be a condition for rendering the contract effective.
42. Bank Guarantee for Advanced Payment	42.1 Except when the interests of UNDP so require, it is UNDP's standard practice to not make advance payment(s) (i.e., payments without having received any outputs). If an advance payment is allowed as per the BDS, and exceeds 20% of the total contract price, or USD 30,000, whichever is

	<p>less, the Bidder shall submit a Bank Guarantee in the full amount of the advance payment in the form available at https://popp.undp.org/layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_DOCUMENT_LIBRARY/Public/PSU_Contract%20Management%20Payment%20and%20Taxes_Advanced%20Payment%20Guarantee%20Form.docx&action=default</p>
43. Liquidated Damages	<p>43.1 If specified in the BDS, UNDP shall apply Liquidated Damages for the damages and/or risks caused to UNDP resulting from the Contractor's delays or breach of its obligations as per Contract.</p>
44. Payment Provisions	<p>44.1 Payment will be made only upon UNDP's acceptance of the goods and/or services performed. The terms of payment shall be within thirty (30) days, after receipt of invoice and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank transfer in the currency of the contract.</p>
45. Vendor Protest	<p>45.1 UNDP's vendor protest procedure provides an opportunity for appeal to those persons or firms not awarded a contract through a competitive procurement process. In the event that a Bidder believes that it was not treated fairly, the following link provides further details regarding UNDP vendor protest procedures: http://www.undp.org/content/undp/en/home/procurement/business/protest-and-sanctions.html</p>
46. Other Provisions	<p>46.1 In the event that the Bidder offers a lower price to the host Government (e.g. General Services Administration (GSA) of the federal government of the United States of America) for similar goods and/or services, UNDP shall be entitled to the same lower price. The UNDP General Terms and Conditions shall have precedence.</p> <p>46.2 UNDP is entitled to receive the same pricing offered by the same Contractor in contracts with the United Nations and/or its Agencies. The UNDP General Terms and Conditions shall have precedence.</p> <p>46.3 The United Nations has established restrictions on employment of (former) UN staff who have been involved in the procurement process as per bulletin ST/SGB/2006/15 http://www.un.org/en/ga/search/view_doc.asp?symbol=ST/SGB/2006/15&referer</p>

Section 3. Bid Data Sheet

The following data for the goods and/or services to be procured shall complement, supplement, or amend the provisions in the Invitation to Bid In the case of a conflict between the Instructions to Bidders, the Bid Data Sheet, and other annexes or references attached to the Bid Data Sheet, the provisions in the Bid Data Sheet shall prevail.

BDS No.	Ref. to Section.2	Data	Specific Instructions / Requirements
1	7	Language of the Bid	English
2		Submitting Bids for Parts or sub-parts of the Schedule of Requirements (partial bids)	Not Allowed
3	20	Alternative Bids	Shall not be considered
4	21	Pre-Bid conference / Site Visit	<p>Will be Conducted UNDP intends to organize an optional pre-bid conference as per the below details:</p> <p>Date: 03 December 2019 Time: 10:00 am Venue: DDR Office – Riyadh , Mashtal Street. Overseas companies can join via skype meeting</p> <p>The interested bidders are requested to send their interest to the Focal Person in UNDP (DS No. 12) 2 days before pre-bid conference date. Last minutes requests will not be entertained. The UNDP focal point for the arrangement is: mona.ibrahim@undp.org and copying mehdi.khalili@undp.org</p>
5	16	Bid Validity Period	90 days
6	13	Bid Security	<p><input checked="" type="checkbox"/> Required</p> <p>Amount: USD 20,000</p> <p>Or equivalent amount in SDG 900,000 in the name of: “Resident Representative UNDP Sudan”</p> <ul style="list-style-type: none"> ▪ Bank Guarantee (See Section 8 for template) ▪ Cashier’s Check / Certified Check from a reputable Bank

			<p>The original bid security must be hand delivered to UNDP Procurement office before the bid closing date, at: United Nations Development Programme (UNDP) House No. 7, Block No. 5, Gama'a Avenue, Khartoum, Sudan</p> <p>Bidder Shall upload Scanned Copy of Bid Security as part of their Bid Submission</p> <p>Note: validity of bid security must be valid for 120 days (bid security with shorter validity will not be accepted)</p> <p>Bid bond issued by insurance company will not be accepted.</p>
7	41	Advanced Payment upon signing of contract	Not Allowed
8	42	Liquidated Damages	<p>Will be imposed as follows: Risk to impose Liquidated damages @0.5% per each day delayed up to a maximum of 1 month. Thereafter, the LTA may be terminated.</p>
9	40	Performance Security	<p><input checked="" type="checkbox"/> Not Required for PO/Contract below USD 100,000. However, in case of PO/Contract having total value of US\$100,000 and above, Performance Security will be required for each Call-Off PO/Contract (equivalent to 10% of Call-Off PO/Contract) to ensure vendor commitment and avoid any delays;</p>
10	12	Currency of Bid	<p>United States Dollar and/or Local Currency (SDG)</p> <ul style="list-style-type: none"> • Bank account in US\$ is to be provided, if quoted in US\$ • Option of currency selection is left at the discretion of bidder • Bidders are free to choose the currency of bid (USD or SDG). The currency of bid will be the currency of contract/PO and payment. It is up to the bidders to manage the cash withdrawal from their own bank. <p>Currency Conversion for Evaluation Purposes: The UN Rate of exchange applicable on the day of bid closure shall apply.</p> <p>The prices quoted will be the ceiling within the project/activity implementation period. The determining exchange rate shall be the UN Exchange Rate at the time of bid closing date.</p>
11	31	Deadline for submitting requests for clarifications/questions	7 days before the submission deadline

12	31	Contact Details for submitting clarifications/questions	<p>Focal Person in UNDP: Mona Ibrahim, Procurement Associate</p> <p>E-mail address: mona.ibrahim@undp.org and copying mehdi.khalili@undp.org</p> <p>Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers</p>
13	18, 19 and 21	Manner of Disseminating Supplemental Information to the ITB and responses/clarifications to queries	<p>Posted directly to eTendering</p> <p>https://etendering.partneragencies.org</p> <p>Event Number: SDN10-0000004943</p>
14	23	Deadline for Submission	24 December 2019 @ 14:00 Hours (Sudan, Khartoum local time)
14	22	Allowable Manner of Submitting Bids	<input checked="" type="checkbox"/> e-Tendering
15	22	Bid Submission Address	<p>https://etendering.partneragencies.org</p> <p>Event Number: SDN10-0000004943</p>
16	22	Electronic submission (email or eTendering) requirements	<p>In case a bidder opts to submit the offer through eTendering, the requirements for electronic files are as following:</p> <ul style="list-style-type: none"> ▪ Format: PDF files (Preferred) ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ If you are uploading a large number of files (ex. 15 or more), please zip the files into a ZIP folder and upload the folder instead of each file individually. You can upload several ZIP folders, but if you do this, please note that the total size of each ZIP folder uploaded cannot exceed 50MB.
17	25	Date, time and venue for the opening of bid	The bidders will receive an email once Bids are opened.
18	27, 36	Evaluation Method for the Award of Contract	Lowest priced technically responsive, eligible and qualified bid.
19		Expected date for commencement of Contract	February 2, 2020

20		Maximum expected duration of contract	<p>Three (3) years</p> <p>The proposed LTA is for a period of 1-year contract from the date of commencement of Contract, with an extension option for additional 2 years, but this is subject to the Contractor performance.</p>
21	35	UNDP will award the contract to:	<p><input checked="" type="checkbox"/> One or more Bidders (termed Multiple vendors LTA), depending on the following factors:</p> <p>Award would be made to a maximum of the top three “lowest evaluated priced, technically responsive” bidders: In Multiple vendors LTAs, for each LTA, the Call-off order will be based on secondary competition.</p> <ul style="list-style-type: none"> - Request will be sent to the LTA holders with the requirements; - The LTA holders may quote the LTA or lower unit prices; and - Award will be made to the LTA holder offering the lowest total evaluated price for the entire requirements.
22	39	Type of Contract	<p>Long Term Agreement (LTA)</p> <p>http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html</p>
23	39	UNDP Contract Terms and Conditions that will apply	<p>UNDP General Terms and Conditions for Contracts</p> <p>http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html</p>
24		Other Information Related to the ITB	<ul style="list-style-type: none"> • LTA will be owned by UNDP Sudan Country Office, whilst being used for providing services to other UN Agencies as well. • The ceiling for LTA over the 3 years life span will be USD 3,000,000. • The LTA holder(s) shall neither seek nor accept instructions from any entity other than UNDP (or entities authorized by UNDP to give instructions to the LTA holder(s)) in connection with the provision of the Goods or Services or development and delivery of the Deliverables. • The LTA holder(s) will not, without the prior written consent of UNDP, assign, transfer, sub-contract, pledge or make other disposition of the Contract, or of any part of the Contract, or of any of the LTA holder's rights or obligations under the Contract. • The LTA holder(s) will not advertise or otherwise make public for purposes of commercial advantage

			<p>or goodwill that it has a contractual relationship with UNDP or the United Nations; except as regards references to the name of UNDP for the purposes of annual reports or communication between the Parties and between the Vendor and its personnel and sub-contractors.</p> <ul style="list-style-type: none">• The LTA holder(s) shall not, in any manner whatsoever use the name, emblem or official seal of UNDP or the United Nations, or any abbreviation of the name of the United Nations, in connection with its business or otherwise without the prior written permission of UNDP.
--	--	--	--

Preliminary Examination Criteria

Bids will be examined to determine whether they are complete and submitted in accordance with ITB requirements as per below criteria on a Yes/No basis:

- Appropriate signatures
- Power of Attorney
- Minimum Bid documents provided
- Bid Validity
- Bid Security submitted as per ITB requirements with compliant validity period

Minimum Eligibility and Qualification Criteria

Eligibility and Qualification will be evaluated on a Pass/Fail basis.


If the Bid is submitted as a Joint Venture/Consortium/Association, each member should meet the minimum criteria, unless otherwise specified.

Subject ELIGIBILITY	Criteria	Document Submission requirement
Legal Status	Vendor is a legally registered entity.	Form B: Bidder Information Form
Eligibility	Vendor is not suspended, nor debarred, nor otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization in accordance with ITB clause 3.	Form A: Bid Submission Form
Conflict of Interest	No conflicts of interest in accordance with ITB clause 4.	Form A: Bid Submission Form
Bankruptcy	Has not declared bankruptcy, is not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against the vendor that could impair its operations in the foreseeable future.	Form A: Bid Submission Form
Certificates and Licenses	<ul style="list-style-type: none"> ▪ Duly authorized to act as Agent on behalf of the Manufacturer, or Power of Attorney, if bidder is not a manufacturer ▪ Official appointment as local representative, if Bidder is submitting a Bid on behalf of an entity located outside the country ▪ Patent Registration Certificates, if any of technologies submitted in the Bid is patented by the Bidder ▪ Export/Import Licenses, if applicable 	Form B: Bidder Information Form
Local Authorised Dealer	<ul style="list-style-type: none"> ▪ In case a bidder in a foreign bidder, it is required that the vendor shall have a local authorized dealer fully equipped with service facilities and competent manpower for installation, testing, commissioning and maintenance of the supplied tractors and implements. The offer from the vendor without local authorized dealer for maintenance 	


	support will not be considered. Complete address of the authorized dealer in Sudan.	
QUALIFICATION		
Minimum Qualification	Minimum five (5) years of operational experience and registered as a manufacturer/supplier of tractors	Form D: Qualification Form
	Minimum two (2) contracts of similar nature and complexity not less than USD 300,000 each implemented over the last 5 years. (For JV/Consortium/Association, all Parties cumulatively should meet requirement).	Form D: Qualification Form
History of Non-Performing Contracts¹	Non-performance of a contract did not occur as a result of contractor default for the last 3 years.	Form D: Qualification Form
Litigation History	No consistent history of court/arbitral award decisions against the Bidder for the last 3 years.	Form D: Qualification Form
Previous Experience	List and value of projects performed for the last 5 (five) years, plus client's contact details who may be contacted for further information on those contracts	Form D: Qualification Form
	Statement of Satisfactory Performance from the Top two (2) Clients in terms of Contract Value for similar projects completed within last 5 years	Form D: Qualification Form
Financial Standing	Minimum average annual turnover of USD 500,000 for the last 3 years (2016, 2017 and 2018). Minimum average annual turnover of SDG9,350,000 for audited financial statements submitted in SDG <i>(For JV/Consortium/Association, all Parties cumulatively should meet requirement).</i>	Form D: Qualification Form
	Bidder must demonstrate the current soundness of its financial standing and indicate its prospective long-term profitability. <i>(For JV/Consortium/Association, all Parties cumulatively should meet requirement).</i>	Form D: Qualification Form
Liquidity	Current Ratio must be 1 or above (taken from current assets and current liability) The bidder who has financial problem should be excluded.	Form D: Qualification Form
Technical Evaluation	The technical bids shall be evaluated on a pass/fail basis for compliance or non-compliance with the technical specifications identified in the bid document.	Form E: Technical Bid Form and Table incorporated in Section 5a
Financial Evaluation	Detailed analysis of the price schedule based on requirements listed in Section 5 and quoted for by the bidders in Form F.	Form F: Price Schedule Form




¹ Non-performance, as decided by UNDP, shall include all contracts where (a) non-performance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Non-performance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Non-performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.



	Comparison with budget/internal estimates.	
--	--	--


Description /Specifications of Goods*	Model/ Brand	Country of Origin
<p>1.0 Agricultural tractors 75-85 Hp: Massey Ferguson 385 OR Taffee , OR New Holland , Belarus OR Equivalent quality</p>  <p>Technical Specifications:</p> <p>Engine: -</p> <ul style="list-style-type: none"> - Diesel, 3-4 cylinders in line with replaceable cylinder sleeves developing - Machine power (75- 85) HP at the rated speed of 2,000-2,500 rpm. <p>Air cleaner:-</p> <ul style="list-style-type: none"> - Efficient, heavy duty type consisting of two parts:- - Pre-cleaner, followed by: - Main air filter, dry or oil bath type. <p>Fuel system: -</p> <p>Consisting of: -</p> <ul style="list-style-type: none"> - Metallic fuel tanks of minimum capacity 60 liters, fitted with - Strainer in the fuel filling opening. - Manual operated fuel lift pump. - Twin or dual stage fuel filter with replaceable elements. - Fuel injection pump with mechanical or pneumatic governor. <p>Lubrication system: -</p> <p>Composed of: -</p> <ul style="list-style-type: none"> - High capacity force - feed lubrication pump of gear, piston or rotary type (gear type) equipped with oil strainer. - Efficient oil filter with a by-pass valve and replaceable element. <p>Cooling system: -</p> <p>Water-cooled system suitable for continuous operation under hot tropical climate (where ambient temperature may reach - 50c).</p> <p>The system consists of:-</p> <ul style="list-style-type: none"> - Centrifugal type water pump. - High capacity cooler radiator. - High capacity fan. - Thermostat. <p>Electrical equipment:-</p> <ul style="list-style-type: none"> - Heavy-duty battery 12 volts, 90-100 amps hour. - Electrical starting system. - Electric generator (alternator). - Voltage regulator. <p>Instrument panel:-</p> <ul style="list-style-type: none"> - Temperature gauge. - Oil pressure gauge. 		

Description /Specifications of Goods*	Model/ Brand	Country of Origin
<ul style="list-style-type: none"> - Fuel level indicator. - Battery charger indicator. - Tachometer (rpm). - Speedometer (km/hr). - Hour meter. - Air cleaner blockage indicator. - Horn. <p>Lighting system:-</p> <ul style="list-style-type: none"> - Head and rear lights. - Brakes and direction indicator lights. - Rear tractor warning lights. - Rear field flood lights. - Pin type trailer socket. - N.B. All electrical circuits to be protected by individual fuses. <p>Transmission:-</p> <ul style="list-style-type: none"> - Clutch: Dual or single dry clutch plate or multi disc wet type. - Gearbox: Synchronized constant mesh or sliding spur. Manual change with high and low ratio combination to provide minimum 8 forward and 2 reverse speeds. - Speed range 1.5-30 km/hr. - Differential lock: Engage when necessary. <p>Hydraulic system:- Consisting of: -</p> <ul style="list-style-type: none"> - Gear or piston type pump with pressure range 140-175 kg/cm² and minimum lift Capacity of 1500 kg. - Automatic draft and position control independent of implement weight or length. - Three points linkage of category II with adjustable upper arm, right lift arm and check - Chains. Check chains to be of high quality steel. - External service valve for both single and double acting cylinders with sealed coupling and - Two outlets for remote control of implements. Safety cover for external service outlets to Be provided. <p>Steering:-</p> <ul style="list-style-type: none"> - Hydrostatic or manual with turning radius 2.5-3.5 meters. <p>Power take off shaft:-</p> <ul style="list-style-type: none"> - Independent, rear, two speed 500-550 rpm, no less than 6 splines and 950-1100 rpm, up to 21 splines with protective cover, clockwise rotation. <p>Draw bar:-</p> <ul style="list-style-type: none"> - High quality steel swinging type with adjustable height. - Minimum ground clearance 300-350 mm. <p>Axle tread adjustment:-</p> <ul style="list-style-type: none"> - Front track: 1200-2000mm. - Rear track: 1200-2200 mm. <p>Wheels and tyres:-</p> <ul style="list-style-type: none"> - Steel disc wheel 		

Description /Specifications of Goods*	Model/ Brand	Country of Origin
<ul style="list-style-type: none"> - Tube tyres from natural rubber, heavy duty type. - Type of regular agricultural tread type of the following size:- - Front: 7.00 X 15 (8 PR)-8*15(8PR) - Rear : 13.0 X 34 (6 PR)-15.0*34(6PR) <p>Breaks:-</p> <ul style="list-style-type: none"> - Fitted with efficient braking system of oil immersed disc brakes. - To be foot operated independently for right and left sides and equipped with interlocking device. - Hand operated parking brake to be provided. <p>Other requirements:-</p> <ul style="list-style-type: none"> - Comfortable seat with back rest and position adjustment. - Front weights and rear wheel weights. - Tool box fixed to the tractor with the following contents:- - 3 ton hydraulic jack. - Grease gun. - Foot operated air pump, or tractor operated air compressor. - pair of pliers (grip type and standard) - Set of open ended spanners to fit all tractor nuts and bolts. - Wheel spanner to fit front and rear wheel nits. - Sun shade with protection frame. <p>Technical documentations:</p> <ul style="list-style-type: none"> - Operation and service manual (Arabic & English) - Workshop manual - Parts list catalogue. <p>Information plate: - Of durable material firmly fixed in an easily viewed position showing the following Information:-</p> <ul style="list-style-type: none"> - Country of origin - Year of manufacturing - Tractor power (Hp & KW) - Make and model - Engine serial number - Chassis serial number. <p>Warranty: Minimum warranty period for one (1) year.</p>		
<p><u>2.0 Harvesting Thresher:</u></p>  <p>Multi-purpose good quality combined harvesting thresher :</p> <ul style="list-style-type: none"> - Multi-purposed combined thresher for harvesting dura, sorghum, wheat, beans. - Number of blades should not be less than 35 blades. 		


Description /Specifications of Goods*	Model/ Brand	Country of Origin
<ul style="list-style-type: none"> - Required power no more than 35 Hp. - Work capacity no less than 1400 		
<p>3.0 Agricultural Trailer: Trailer with 4 tires. Capacity of (5) MT with all standard accessories:</p>  <ul style="list-style-type: none"> - Loading capacity around 5 tan (matching tractor 45-85) Hp. - Of steel body. - Minimum Case Size (L*W*H) around 3500mm*1800mm*380mm. - Dumping system: at least 1 way. - Axe: double axe system. - Requited pulling power: not more than 35 Hp. - Floor and side steel thickness: not less than 3 mm - Shall be provided with all standard accessories - 		
<p>4.0 Wild level Disc:</p>  <ul style="list-style-type: none"> - Working width: around 4000 mm; - Number of discs: 24; - Disc interval around 17cm; - Tractor power: 70 -75 HP (should match the load of the tractor the bidder proposer and not more than it); - Length: Not less than 550 cm; - Usage: for Dura. - Shall be provided with all standard accessories 		
<p>5.0 Furrow opener plough : To meet the following specifications:</p> <ul style="list-style-type: none"> - Number of plough shoes : 4; - Shall have 4 wheels. - Tractor power: 70 -75HP (should match the load of the tractor the bidder proposer and not more than it); - Shall be provided with all standard accessories; 		

Description /Specifications of Goods*	Model/ Brand	Country of Origin
<p>6.chesil plough : To meet the following specifications:</p> <ul style="list-style-type: none"> - Shall have heavy duty frame - Replaceable chunks /points. - Tractor compatibility: 40 -45 HP (should match the load of tractor 45-50 Hp the bidder proposing and not more than it) - Easley removable shovel. - Shall be provided with all standard accessories 		
<p>7.Harrow 18 Discs Plough: To meet the following specifications:</p> <ul style="list-style-type: none"> - Number of plough disc : 18; - Disc dimeter: around 0.5 meter. - Disc Spacing : between 0.100 to 0.125 - Tractor power: 70 -75 HP (should match the load of the tractor the bidder proposer and not more than it); - Shall be provided with all standard accessories; - Type of discs: Notched in front and plain in rear 		
<p>8. 3 Disc Plough: To meet the following specifications:</p> <ul style="list-style-type: none"> - Number of disc : 3; - Disc dimeter: around 650*6 mm. - Disc Spacing : between 550mm to 580mm - Tractor power: 70-75 HP (should match the load of the tractor the bidder proposer and not more than it); - Shall be provided with all standard accessories; 		

Description /Specifications of Goods*	Model/ Brand	Country of Origin																																																																
<p>- Type of discs: Notched or plain</p> 																																																																		
<p>9.0 Fast Moving Spare Parts for 75-85 Hp tractors : Detail of set of items to be supplied and delivered with each tractor supplied:</p> <table border="1" data-bbox="147 697 870 1726"> <thead> <tr> <th>item</th> <th>Specifications</th> <th>Quantities</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Lubricants</td> <td>15 Kg</td> <td>For 1 tractor</td> </tr> <tr> <td>2</td> <td>Fuel Filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>3</td> <td>Air Filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>4</td> <td>Oil filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>5</td> <td>Front Tire bearings</td> <td>2 sets</td> <td>1 Large and 1 small</td> </tr> <tr> <td>6</td> <td>Wild level Bearings</td> <td>2sets</td> <td>1 Large and 1 small</td> </tr> <tr> <td>7</td> <td>Trailer bearings</td> <td>1 sets</td> <td></td> </tr> <tr> <td>8</td> <td>Tractor tires</td> <td>1 set</td> <td>For front tire</td> </tr> <tr> <td>9</td> <td>Tractor belts</td> <td>5 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>10</td> <td>Wild level disc plough Tires</td> <td>1</td> <td>For 1 wide level disc</td> </tr> <tr> <td>11</td> <td>Thresher- belts</td> <td>3 sets</td> <td>For 1 Thresher</td> </tr> <tr> <td>12</td> <td>Thresher- tires</td> <td>1 sets</td> <td>For 1 Thresher</td> </tr> <tr> <td>13</td> <td>Jack (lifter) 8 tons</td> <td>1</td> <td>For 1 tractor</td> </tr> <tr> <td>14</td> <td>Maintenance tools set with bag</td> <td>1</td> <td>For 1 tractor</td> </tr> <tr> <td>15</td> <td>Supply and delivery of engine oil of good quality suitable for tractor engines.</td> <td>25 liter</td> <td>For 1 tractor</td> </tr> </tbody> </table>	item	Specifications	Quantities	Use	1	Lubricants	15 Kg	For 1 tractor	2	Fuel Filter	4 sets	For 1 tractor	3	Air Filter	4 sets	For 1 tractor	4	Oil filter	4 sets	For 1 tractor	5	Front Tire bearings	2 sets	1 Large and 1 small	6	Wild level Bearings	2sets	1 Large and 1 small	7	Trailer bearings	1 sets		8	Tractor tires	1 set	For front tire	9	Tractor belts	5 sets	For 1 tractor	10	Wild level disc plough Tires	1	For 1 wide level disc	11	Thresher- belts	3 sets	For 1 Thresher	12	Thresher- tires	1 sets	For 1 Thresher	13	Jack (lifter) 8 tons	1	For 1 tractor	14	Maintenance tools set with bag	1	For 1 tractor	15	Supply and delivery of engine oil of good quality suitable for tractor engines.	25 liter	For 1 tractor		
item	Specifications	Quantities	Use																																																															
1	Lubricants	15 Kg	For 1 tractor																																																															
2	Fuel Filter	4 sets	For 1 tractor																																																															
3	Air Filter	4 sets	For 1 tractor																																																															
4	Oil filter	4 sets	For 1 tractor																																																															
5	Front Tire bearings	2 sets	1 Large and 1 small																																																															
6	Wild level Bearings	2sets	1 Large and 1 small																																																															
7	Trailer bearings	1 sets																																																																
8	Tractor tires	1 set	For front tire																																																															
9	Tractor belts	5 sets	For 1 tractor																																																															
10	Wild level disc plough Tires	1	For 1 wide level disc																																																															
11	Thresher- belts	3 sets	For 1 Thresher																																																															
12	Thresher- tires	1 sets	For 1 Thresher																																																															
13	Jack (lifter) 8 tons	1	For 1 tractor																																																															
14	Maintenance tools set with bag	1	For 1 tractor																																																															
15	Supply and delivery of engine oil of good quality suitable for tractor engines.	25 liter	For 1 tractor																																																															

Description /Specifications of Goods*	Model/ Brand	Country of Origin
<p>10.0 Agriculture Tractor 45-50 Hp: Provision of agriculture tractor 40-45 Hp (<u>Massey Ferguson /Taffee /New Holland /Belarus OR Equivalent quality</u>). These standard specifications are related to the 2 mini 45-50 HP agricultural tractor to suit sandy clay soils:</p> <p>Technical Specifications:</p> <p>Engine: -</p> <ul style="list-style-type: none"> - Diesel, 3-4 cylinders in line with replaceable cylinder sleeves developing - Machine power (45- 50) HP at engine rated speed of 1,400-2,250 rpm. <p>Air cleaner:-</p> <ul style="list-style-type: none"> - Efficient, heavy duty type consisting of two parts:- - Pre-cleaner, followed by: - Main air filter, dry or oil bath type. <p>Fuel system: - Consisting of: -</p> <ul style="list-style-type: none"> - Metallic fuel tanks of minimum capacity not less than 45 liters, fitted with - Strainer in the fuel filling opening. - Manual operated fuel lift pump. - Twin or dual stage fuel filter with replaceable elements. - Fuel injection pump with mechanical or pneumatic governor. <p>Lubrication system: - Composed of: -</p> <ul style="list-style-type: none"> - High capacity force - feed lubrication pump of gear, piston or rotary type (gear type) equipped with oil strainer. - Efficient oil filter with a by-pass valve and replaceable element. <p>Cooling system: - Water-cooled system suitable for continuous operation under hot tropical climate (where ambient temperature may reach - 50oc). The system consists of:-</p> <ul style="list-style-type: none"> - Centrifugal type water pump. - High capacity cooler radiator. - High capacity fan. - Thermostat. <p>Electrical equipment:-</p> <ul style="list-style-type: none"> - Heavy-duty battery 12 volts, 90-100 amps hour. - Electrical starting system. - Electric generator (alternator). - Voltage regulator. <p>Instrument panel:-</p> <ul style="list-style-type: none"> - Temperature gauge. - Oil pressure gauge. - Fuel level indicator. - Battery charger indicator. - Tachometer (rpm). - Speedometer (km/hr). - Hour meter. 		

Description /Specifications of Goods*	Model/ Brand	Country of Origin
<ul style="list-style-type: none"> - Air cleaner blockage indicator. - Horn. <p>Lighting system:-</p> <ul style="list-style-type: none"> - Head and rear lights. - Brakes and direction indicator lights. - Rear tractor warning lights. - Rear field flood lights. - Pin type trailer socket. - N.B. All electrical circuits to be protected by individual fuses. <p>Transmission:-</p> <ul style="list-style-type: none"> - Clutch: Dual or single dry clutch plate or multi disc wet type. - Gearbox: Synchronized constant mesh or sliding spur. Manual change with high and low ratio combination to provide minimum 8 forward and 2 reverse speeds. - Speed range 1.5-30 km/hr. - Differential lock: Engage when necessary. <p>Hydraulic system:- Consisting of: -</p> <ul style="list-style-type: none"> - Gear or piston type pump with pressure range 19 MPa and minimum lift Capacity of 1400 kg. - Automatic draft and position control independent of implement weight or length. - Three points linkage of category II with adjustable upper arm, right lift arm and check - Chains. Check chains to be of high quality steel. - External service valve for both single and double acting cylinders with sealed coupling and - Two outlets for remote control of implements. Safety cover for external service outlets to Be provided. <p>Steering:-</p> <ul style="list-style-type: none"> - Hydrostatic or manual. <p>Power take off shaft:-</p> <ul style="list-style-type: none"> - Independent, rear, two speed 500-550 rpm, no less than 6 splines and 950-1100 rpm, up to 21 splines with protective cover, clockwise rotation. - . <p>Draw bar:-</p> <ul style="list-style-type: none"> - High quality steel swinging type with adjustable height. - Minimum ground clearance 340 mm. <p>Axle tread adjustment:-</p> <ul style="list-style-type: none"> - Front track: 1200-2000mm. - Rear track: 1200-2200 mm. <p>Wheels and tyres:-</p> <ul style="list-style-type: none"> - Steel disc wheel - Tube tyres from natural rubber, heavy duty type. - Type of regular agricultural tread type of the following size:- - Front: 6.00 X 16 (6 PR)- 6.50 X 16 (6 PR)- - Rear : 12.0/11 -28 (6 PR)- 12.5/11 -28 (6 PR) 		

Description /Specifications of Goods*	Model/ Brand	Country of Origin																				
<p>Breaks:-</p> <ul style="list-style-type: none"> - Fitted with efficient braking system of oil immersed disc brakes. - To be foot operated independently for right and left sides and equipped with interlocking device. - Hand operated parking brake to be provided. <p>Other requirements:-</p> <ul style="list-style-type: none"> - Comfortable seat with back rest and position adjustment. - Front weights and rear wheel weights. - Tool box fixed to the tractor with the following contents:- - 3 ton hydraulic jack. - Grease gun. - Foot operated air pump, or tractor operated air compressor. - pair of pliers (grip type and standard) - Set of open ended spanners to fit all tractor nuts and bolts. - Wheel spanner to fit front and rear wheel nits. - Sun shade with protection frame. <p>Technical documentations:</p> <ul style="list-style-type: none"> - Operation and service manual (Arabic & English) - Workshop manual - Parts list catalogue. <p>Information plate:- Of durable material firmly fixed in an easily viewed position showing the following Information:-</p> <ul style="list-style-type: none"> - Country of origin - Year of manufacturing - Tractor power (Hp & KW) - Make and model - Engine serial number - Chassis serial number. <p>Guarantee:- Minimum guarantee period for 12 months (one year) or 1,500 hours of filed operation whichever comes first.</p> 																						
<p>11. Fast Moving Spare Parts for reactor 45-50 Hp: Supply of fast moving spare parts set to be provided with each 45-50 Hp tractor.</p> <table border="1" data-bbox="146 1690 836 1942"> <thead> <tr> <th>ite m</th> <th>Specificatio ns</th> <th>Quantitie s</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Lubricants</td> <td>20 Kg</td> <td>For all machines and equipment</td> </tr> <tr> <td>2</td> <td>fuel Filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>3</td> <td>Oil filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>4</td> <td>Front Tire</td> <td>2 sets</td> <td>1 Large and 1 small</td> </tr> </tbody> </table>	ite m	Specificatio ns	Quantitie s	Use	1	Lubricants	20 Kg	For all machines and equipment	2	fuel Filter	4 sets	For 1 tractor	3	Oil filter	4 sets	For 1 tractor	4	Front Tire	2 sets	1 Large and 1 small		
ite m	Specificatio ns	Quantitie s	Use																			
1	Lubricants	20 Kg	For all machines and equipment																			
2	fuel Filter	4 sets	For 1 tractor																			
3	Oil filter	4 sets	For 1 tractor																			
4	Front Tire	2 sets	1 Large and 1 small																			

Description /Specifications of Goods*				Model/ Brand	Country of Origin
	bearings				
5	Chisel Bearings	2sets	1 Large and 1 small		
6	Trailer bearings	1 sets			
7	Front Tractor tires	1 set	For 40-45 hp tractors		
8	Tractor belts	5 sets	For 1 tractor		
9	Chisel Axle	1 set	For 1 chisel		
10	Thresher-belts	3 sets	For 1 Threshers		
11	Thresher-tires	1 sets	For 1 Thresher		
12	Jack 8 tan (lifter suitable for 40-45 tractor)	1	For 1 tractor		
13	Maintenance standard tools set with tool kit	1	For 1 tractor		
14	Supply and delivery of engine oil of good quality suitable for tractor engines (liter).	25 liter	For 1 tractor		

***Disclaimer:** Photos indicated in the table are samples to show what is required only.

Section 5b: Schedule of Requirements

Further to the Schedule of Requirements in the preceding Table, Bidders are requested to take note of the following additional requirements, conditions, and related services pertaining to the fulfillment of the requirements: *[check the condition that applies to this ITB, delete the entire row if condition is not applicable to the goods being procured]*

Delivery Term [INCOTERMS 2010]	DAP
Exact Address of Delivery/Installation Location	<p>As per the request in:</p> <ul style="list-style-type: none"> - Khartoum State <p>Note: The prices received in this stage of bidding shall be DAP Khartoum State. In secondary competition among LTA holders, the prices obtained for supply and installation will be the ceiling as stated in this stage and LTA holders shall offer competitive prices for delivery to other locations including but not limited to:</p> <ul style="list-style-type: none"> - Blue Nile State - White Nile State - Kordofan State - Senna State
Mode of Transport Preferred	Other: Up to the supplier to decide
UNDP Preferred Freight Forwarder, if any	NA
Distribution of shipping documents <i>(if using freight forwarder)</i>	NA
Customs, if required, clearing shall be done by:	Supplier
Ex-factory / Pre-shipment inspection	NA
Inspection upon delivery	Tractors and implements will be inspected after installation, commissioning and testing phase.
Installation Requirements	NA
Testing Requirements	Yes, by the supplier
Scope of Training on Operation and Maintenance	Yes, by the supplier
Commissioning	Yes, by the supplier
Warranty Period	12 months

Local Service Support	In case a bidder in a foreign bidder, it is required that the vendor shall have a local authorized dealer fully equipped with service facilities and competent manpower for testing, commissioning and maintenance of the supplied tractors and implements. The offer from the vendor without local authorized dealer for maintenance support will not be considered. Complete address of the authorized dealer in Sudan.
Technical Support Requirements	Yes, by supplier
After-sale services Requirements	<input checked="" type="checkbox"/> Warranty on Parts (not consumable) and Labor for minimum period of 12 months <input checked="" type="checkbox"/> Technical Support
Payment Terms <i>(max. advanced payment is 20% as per UNDP policy)</i>	100% within 30 days upon UNDP's acceptance of the goods delivered as specified and receipt of invoice
Conditions for Release of Payment	<input checked="" type="checkbox"/> Inspection upon arrival at destination <input checked="" type="checkbox"/> Testing <input checked="" type="checkbox"/> Training on Operation and Maintenance <input checked="" type="checkbox"/> Written Acceptance of Goods based on full compliance with ITB requirements
All documentations, including catalogues, instructions and operating manuals, shall be in this language	English and/or Arabic

Section 6: Returnable Bidding Forms / Checklist

This form serves as a checklist for preparation of your Bid. Please complete the Returnable Bidding Forms in accordance with the instructions in the forms and return them as part of your Bid submission. No alteration to format of forms shall be permitted and no substitution shall be accepted.

Before submitting your Bid, please ensure compliance with the Bid Submission instructions of the BDS 22.

Technical Bid:

Have you duly completed all the Returnable Bidding Forms?	
▪ Form A: Bid Submission Form (Mandatory)	<input type="checkbox"/>
▪ Form B: Bidder Information Form	<input type="checkbox"/>
▪ Form C: Joint Venture/Consortium/ Association Information Form if applicable (Mandatory if applicable)	<input type="checkbox"/>
▪ Form D: Qualification Form	<input type="checkbox"/>
▪ Form E: Format of Technical Bid/Bill of Quantities	<input type="checkbox"/>
▪ Form G: Form of Bid Security (Mandatory if applicable)	<input type="checkbox"/>
Have you provided the required documents to establish compliance with the evaluation criteria in Section 4?	<input type="checkbox"/>

Price Schedule:

▪ Form F: Price Schedule Form (Mandatory)	<input type="checkbox"/>
--	--------------------------

Form A: Bid Submission Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/KRT/DDR/19/04		

We, the undersigned, offer to supply the goods and related services required for **Establishing LTA(s) for Supply and Delivery of Tractors and Implements** in accordance with your Invitation to Bid No. **ITB/KRT/DDR/19/04** and our Bid. We hereby submit our Bid, which includes this Technical Bid and Price Schedule.

Our attached Price Schedule is for the sum of [Insert amount in words and figures and indicate currency].

We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium /Association members or subcontractors or suppliers for any part of the contract:

- a) is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists;
- b) have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization;
- c) have no conflict of interest in accordance with Instruction to Bidders Clause 4;
- d) do not employ, or anticipate employing, any person(s) who is, or has been a UN staff member within the last year, if said UN staff member has or had prior professional dealings with our firm in his/her capacity as UN staff member within the last three years of service with the UN (in accordance with UN post-employment restrictions published in ST/SGB/2006/15);
- e) have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future;
- f) undertake not to engage in proscribed practices, including but not limited to corruption, fraud, coercion, collusion, obstruction, or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we embrace the principles of the United Nations Supplier Code of Conduct and adhere to the principles of the United Nations Global Compact.

We declare that all the information and statements made in this Bid are true and we accept that any misinterpretation or misrepresentation contained in this Bid may lead to our disqualification and/or sanctioning by the UNDP.

We offer to supply the goods and related services in conformity with the Bidding documents, including the UNDP General Conditions of Contract and in accordance with the Schedule of Requirements and Technical Specifications.

Our Bid shall be valid and remain binding upon us for the period specified in the Bid Data Sheet.

We understand and recognize that you are not bound to accept any Bid you receive.

I, the undersigned, certify that I am duly authorized by [Insert Name of Bidder] to sign this Bid and bind it should UNDP accept this Bid.

Name: _____

Title: _____

Date: _____

Signature: _____

Stamp with official stamp of the Bidder

Form B: Bidder Information Form

Legal name of Bidder	[Complete]
Legal address	[Complete]
Year of registration	[Complete]
Bidder's Authorized Representative Information	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Are you a UNGM registered vendor?	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, [insert UGNM vendor number]
Are you a UNDP vendor?	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, [insert UNDP vendor number]
Countries of operation	[Complete]
No. of full-time employees	[Complete]
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	[Complete]
Does your organization demonstrates significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues	[Complete]

Is your company a member of the UN Global Compact	[Complete]
Contact person that UNDP may contact for requests for clarifications during Bid evaluation	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Please attach the following documents:	<ul style="list-style-type: none"> ▪ Company Profile, which should not exceed fifteen (15) pages, including printed brochures and product catalogues relevant to the goods and/or services being procured ▪ Certificate of Incorporation/ Business Registration ▪ License/ permit obtained from the Government of Sudan to operate in the country (It is a MUST for International Bidders, in case JV and one partner being from Sudan it is not necessary) ▪ Certification or authorization to act as Agent on behalf of the Manufacturer, or Power of Attorney. ▪ Export Licenses, if applicable ▪ Official Letter of Appointment as local representative, if Bidder is submitting a Bid on behalf of an entity located outside the country; ▪ Specification of all offered equipment and materials (technical data sheets for all equipment and materials which the company plans to supply, catalogues, technical specifications, attests and certificates); ▪ Certificate of Dealership/authorized distributor; ▪ Contracts and/or Purchase Orders with Clients’. ▪ List of all PO/Contracts for Supply of Tractors and Implements being implemented in the last 5 years with the contract value and client names. ▪ Latest Audited Financial Statement (Income Statement and Balance Sheet) including Auditor’s Report for the past 3 years; ▪ Statement of Satisfactory Performance from the Top [2] Clients in terms of Contract Value in the past [5 years] ▪ All information regarding any past and current litigation during the last 3 (years), in which the bidder is involved, indicating the parties concerned, the subject of the litigation, the amounts involved, and the final resolution if already concluded. ▪ Form A: Bid Submission Form ▪ Form B: Bidder Information Form ▪ Form C: Joint Venture/Consortium/ Association Information Form ▪ Form D: Qualification Form ▪ Form E: Format of Technical Bid (including Implementation plan and Technical compliance sheet) ▪ Form F: Price Schedule Form

- Bid Security

FORM C: JOINT VENTURE/CONSORTIUM/ASSOCIATION INFORMATION FORM

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/KRT/DDR/19/04		

To be completed and returned with your Bid if the Bid is submitted as a Joint Venture/Consortium/Association.

No	Name of Partner and contact information <i>(address, telephone numbers, fax numbers, e-mail address)</i>	Proposed proportion of responsibilities (in %) and type of goods and/or services to be performed
1	[Complete]	[Complete]
2	[Complete]	[Complete]
3	[Complete]	[Complete]

Name of leading partner (with authority to bind the JV, Consortium, Association during the ITB process and, in the event a Contract is awarded, during contract execution)	[Complete]
--	------------

We have attached a copy of the below referenced document signed by every partner, which details the likely legal structure of and the confirmation of joint and severable liability of the members of the said joint venture:

Letter of intent to form a joint venture **OR** JV/Consortium/Association agreement

We hereby confirm that if the contract is awarded, all parties of the Joint Venture/Consortium/Association shall be jointly and severally liable to UNDP for the fulfillment of the provisions of the Contract.

Name of partner:

Signature: _____

Date: _____

Name of partner:

Signature: _____

Date: _____

Name of partner:

Signature: _____

Date: _____

Name of partner:

Signature: _____

Date: _____

Form D: Eligibility and Qualification Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/KRT/DDR/19/04		

If JV/Consortium/Association, to be completed by each partner.

History of Non- Performing Contracts

<input type="checkbox"/> Non-performing contracts did not occur during the last 3 years			
<input type="checkbox"/> Contract(s) not performed in the last 3 years			
Year	Non- performed portion of contract	Contract Identification	Total Contract Amount (current value in US\$)
		Name of Client: Address of Client: Reason(s) for non-performance:	

Litigation History (including pending litigation)

<input type="checkbox"/> No litigation history for the last 3 years			
<input type="checkbox"/> Litigation History as indicated below			
Year of dispute	Amount in dispute (in US\$)	Contract Identification	Total Contract Amount (current value in US\$)
		Name of Client: Address of Client: Matter in dispute: Party who initiated the dispute: Status of dispute: Party awarded if resolved:	

Previous Relevant Experience

Please list only previous similar assignments successfully completed in the last 5 years.

List only those assignments for which the Bidder was legally contracted or sub-contracted by the Client as a company or was one of the Consortium/JV partners. Assignments completed by the Bidder’s individual experts working privately or through other firms cannot be claimed as the relevant experience of the Bidder, or that of the Bidder’s partners or sub-consultants, but can be claimed by the Experts themselves in their CVs. The Bidder should be prepared to substantiate the claimed experience by presenting copies of relevant documents and references if so requested by UNDP.

Project name & Country of Assignment	Client & Reference Contact Details	Contract Value	Period of activity and status	Types of activities undertaken
--------------------------------------	------------------------------------	----------------	-------------------------------	--------------------------------

Bidders may also attach their own Project Data Sheets with more details for assignments above.

Attached are the Statements of Satisfactory Performance from the Top 3 (three) Clients or more.

Financial Standing

Annual Turnover for the last 3 years	Year	USD
	Year	USD
	Year	USD
Latest Credit Rating (if any), indicate the source		

Financial information (in US\$ equivalent)	Historic information for the last 3 years		
	2016	2017	2018
	<i>Information from Balance Sheet</i>		
Total Assets (TA)			
Total Liabilities (TL)			
Current Assets (CA)			
Current Liabilities (CL)			
	<i>Information from Income Statement</i>		
Total / Gross Revenue (TR)			
Profits Before Taxes (PBT)			
Net Profit			
Current Ratio			

Attached are copies of the audited financial statements (balance sheets, including all related notes, and income statements) for the years required above complying with the following condition:

- a) Must reflect the financial situation of the Bidder or party to a JV, and not sister or parent companies;
- b) Historic financial statements must be audited by a certified public accountant;
- c) Historic financial statements must correspond to accounting periods already completed and audited. No statements for partial periods shall be accepted.

Form E: Format of Technical Bid

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/KRT/DDR/19/04		

The Bidder's Bid should be organized to follow this format of the Technical Bid. Where the bidder is presented with a requirement or asked to use a specific approach, the bidder must not only state its acceptance, but also describe how it intends to comply with the requirements. Where a descriptive response is requested, failure to provide the same will be viewed as non-responsive.

SECTION 1: Bidder's qualification, capacity and expertise

- 1.1 General organizational capability which is likely to affect implementation: management structure, financial stability and project financing capacity, project management controls, extent to which any work would be subcontracted (if so, provide details).
- 1.2 Relevance of specialized knowledge and experience on similar engagements done in the region/country.
- 1.3 Quality assurance procedures and risk mitigation measures.
- 1.4 Organization's commitment to sustainability.

SECTION 2: Scope of Supply, Technical Specifications, and Related Services

This section should demonstrate the Bidder's responsiveness to the specification by identifying the specific components proposed, addressing the requirements, as specified, point by point; providing a detailed description of the essential performance characteristics proposed; and demonstrating how the proposed bid meets or exceeds the requirements/specifications. All important aspects should be addressed in sufficient detail.

- 2.1 A detailed description of how the Bidder will deliver the required goods and services, keeping in mind the appropriateness to local conditions and project environment. Details how the different service elements shall be organized, controlled and delivered.
- 2.2 Explain whether any work would be subcontracted, to whom, how much percentage of the requirements, the rationale for such, and the roles of the proposed sub-contractors and how everyone will function as a team.
- 2.3 The bid shall also include details of the Bidder's internal technical and quality assurance review mechanisms.
- 2.4 Implementation plan including a Gantt Chart or Project Schedule indicating the detailed sequence of activities that will be undertaken and their corresponding timing.
- 2.5 Demonstrate how you plan to integrate sustainability measures in the execution of the contract.

Offer to Comply with Other Conditions and Related Requirements:

Other Information pertaining to our Quotation are as follows:	Your Responses		
	<i>Yes, we will comply</i>	<i>No, we cannot comply</i>	<i>If you cannot comply, pls. indicate counter proposal</i>
Technical responsiveness/Full compliance to requirements;			
Availability of local agent if a foreign bidder			
Delivery Lead Time (Maximum 6 Weeks from the PO issuance)			
Warranty and After-Sales Requirements			
- Minimum one (1) year warranty for Tractors and Implements			
- Capability to provide spare parts			
Validity of Bid (90 days)			
All Provisions of the UNDP General Terms and Conditions			

All other information that we have not provided automatically implies our full compliance with the requirements terms and conditions of the ITB.

Name of Bidder (Company / Firm):

Authorized signature:

Name of Authorized signatory:

Functional Title:

Email Address:

Contact Number:


FORM F: PRICE SCHEDULE FORM

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/KRT/DDR/19/04		

Important Note:


The prices received in this stage of bidding shall be DAP Khartoum State. In secondary competition among LTA holders, the prices obtained for supply and installation will be the ceiling as stated in this stage and LTA holders shall offer competitive prices for delivery to other locations including but not limited to: Blue Nile State, White Nile State, Kordofan State, Sennar State



Currency of the Bid: [Insert Currency]



Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<p>1.0 Agricultural tractors 75-85 Hp: Massey Ferguson 385 Taffee ,New Holland , Belarus OR Equivalent quality</p>  <p>Technical Specifications: Engine: -</p> <ul style="list-style-type: none"> - Diesel, 3-4 cylinders in line with replaceable cylinder sleeves developing - Machine power (75- 85) HP at the rated speed of 2,000-2,500 rpm. <p>Air cleaner:-</p> <ul style="list-style-type: none"> - Efficient, heavy duty type consisting of two parts:- - Pre-cleaner, followed by: - Main air filter, dry or oil bath type. <p>Fuel system: - Consisting of: -</p> <ul style="list-style-type: none"> - Metallic fuel tanks of minimum capacity 60 liters, fitted with - Strainer in the fuel filling opening. - Manual operated fuel lift pump. - Twin or dual stage fuel filter with replaceable elements. 	30		


Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<ul style="list-style-type: none"> - Fuel injection pump with mechanical or pneumatic governor. <p>Lubrication system: - Composed of: -</p> <ul style="list-style-type: none"> - High capacity force - feed lubrication pump of gear, piston or rotary type (gear type) equipped with oil strainer. - Efficient oil filter with a by-pass valve and replaceable element. <p>Cooling system: - Water-cooled system suitable for continuous operation under hot tropical climate (where ambient temperature may reach - 50oc). The system consists of:-</p> <ul style="list-style-type: none"> - Centrifugal type water pump. - High capacity cooler radiator. - High capacity fan. - Thermostat. <p>Electrical equipment:-</p> <ul style="list-style-type: none"> - Heavy-duty battery 12 volts, 90-100 amps hour. - Electrical starting system. - Electric generator (alternator). - Voltage regulator. <p>Instrument panel:-</p> <ul style="list-style-type: none"> - Temperature gauge. - Oil pressure gauge. - Fuel level indicator. - Battery charger indicator. - Tachometer (rpm). - Speedometer (km/hr). - Hour meter. - Air cleaner blockage indicator. - Horn. <p>Lighting system:-</p> <ul style="list-style-type: none"> - Head and rear lights. - Brakes and direction indicator lights. - Rear tractor warning lights. - Rear field flood lights. - Pin type trailer socket. - N.B. All electrical circuits to be protected by individual fuses. <p>Transmission:-</p> <ul style="list-style-type: none"> - Clutch: Dual or single dry clutch plate or multi disc wet type. 			


Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<ul style="list-style-type: none"> - Gearbox: Synchronized constant mesh or sliding spur. Manual change with high - and low ratio combination to provide minimum 8 forward and 2 reverse speeds. - Speed range 1.5-30 km/hr. - Differential lock: Engage when necessary. <p>Hydraulic system:- Consisting of: -</p> <ul style="list-style-type: none"> - Gear or piston type pump with pressure range 140-175 kg/cm² and minimum lift Capacity of 1500 kg. - Automatic draft and position control independent of implement weight or length. - Three points linkage of category II with adjustable upper arm, right lift arm and check - Chains. Check chains to be of high quality steel. - External service valve for both single and double acting cylinders with sealed coupling and - Two outlets for remote control of implements. Safety cover for external service outlets to Be provided. <p>Steering:-</p> <ul style="list-style-type: none"> - Hydrostatic or manual with turning radius 2.5-3.5 meters. <p>Power take off shaft:-</p> <ul style="list-style-type: none"> - Independent, rear, two speed 500-550 rpm, no less than 6 splines and 950-1100 rpm, up to 21 splines with protective cover, clockwise rotation. <p>Draw bar:-</p> <ul style="list-style-type: none"> - High quality steel swinging type with adjustable height. - Minimum ground clearance 300-350 mm. <p>Axle tread adjustment:-</p> <ul style="list-style-type: none"> - Front track: 1200-2000mm. - Rear track: 1200-2200 mm. <p>Wheels and tyres:-</p> <ul style="list-style-type: none"> - Steel disc wheel - Tube tyres from natural rubber, heavy duty type. - Type of regular agricultural tread type of the following size:- - □ Front: 7.00 X 15 (8 PR)-8*15(8PR) - Rear : 13.0 X 34 (6 PR)-15.0*34(6PR) <p>Breaks:-</p> <ul style="list-style-type: none"> - Fitted with efficient braking system of oil immersed disc brakes. 			

Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<ul style="list-style-type: none"> - To be foot operated independently for right and left sides and equipped with interlocking device. - Hand operated parking brake to be provided. <p>Other requirements:-</p> <ul style="list-style-type: none"> - Comfortable seat with back rest and position adjustment. - Front weights and rear wheel weights. - Tool box fixed to the tractor with the following contents:- - ☐3 ton hydraulic jack. - Grease gun. - Foot operated air pump, or tractor operated air compressor. - pair of pliers (grip type and standard) - Set of open ended spanners to fit all tractor nuts and bolts. - Wheel spanner to fit front and rear wheel nits. - Sun shade with protection frame. <p>Technical documentations:</p> <ul style="list-style-type: none"> - Operation and service manual (Arabic & English) - Workshop manual - Parts list catalogue. <p>Information plate: - Of durable material firmly fixed in an easily viewed position showing the following Information:-</p> <ul style="list-style-type: none"> - Country of origin - Year of manufacturing - Tractor power (Hp & KW) - Make and model - Engine serial number - Chassis serial number. <p>Warranty: Minimum warranty period for one (1) year.</p>			
<p>2.0 Harvesting Thresher:</p> 	30		

Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<p>Multi-purpose good quality combined harvesting thresher :</p> <ul style="list-style-type: none"> - Multi-purposed combined thresher for harvesting dura, sorghum, wheat, beans. - Number of blades should not be less than 35 blades. - Required power no more than 35 Hp. - Work capacity no less than 1400 			
<p>3.0 Agricultural Trailer: Trailer with 4 tires. Capacity of (5) MT with all standard accessories:</p>  <ul style="list-style-type: none"> - Loading capacity around 5 tan (matching tractor 45-85) Hp. - Of steel body. - Minimum Case Size (L*W*H) around 3500mm*1800mm*380mm. - Dumping system: at least 1 way. - Axe: double axe system. - Requited pulling power: not more than 35 Hp. - Floor and side steel thickness: not less than 3 mm - Shall be provided with all standard accessories 	30		
<p>4.0 Wild level Disc:</p>  <ul style="list-style-type: none"> - Working width: around 4000 mm; - Number of discs: 24; - Disc interval around 17cm; - Tractor power: 70 -75 HP (matching the tractor bidder shall provide); - Length: Not less than 550 cm; - Usage: for Dura. - Shall be provided with all standard accessories 	30		

Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<p>5.0 Furrow opener plough : To meet the following specifications:</p> <ul style="list-style-type: none"> - Number of plough shoes : 4; - Shall have 4 wheels. - Tractor power: 70 -75HP (matching the tractor bidder shall provide); - Shall be provided with all standard accessories; 	30		
<p>6.chesil plough : To meet the following specifications:</p> <ul style="list-style-type: none"> - Shall have heavy duty frame - Replaceable chunks /points. - Tractor compatibility: 40 -45 HP (should match the load of tractor 45-50 Hp the bidder proposing and not more than it). - Easley removable shovel. - Shall be provided with all standard accessories 	30		


Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<p>7.Harrow 18 Discs Plough: To meet the following specifications:</p> <ul style="list-style-type: none"> - Number of plough disc : 18; - Disc diameter: around 0.5 meter. - Disc Spacing : between 0.100 to 0.125 - Tractor power: 70 -80 HP (matching the tractor bidder shall provide); - Shall be provided with all standard accessories; - Type of discs: Notched in front and plain in rear 	30		
<p>8. 3 Disc Plough: To meet the following specifications:</p> <ul style="list-style-type: none"> - Number of disc : 3; - Disc diameter: around 650*6 mm. - Disc Spacing : between 550mm to 580mm - Tractor power: 70-80 HP (matching the tractor bidder shall provide); - Shall be provided with all standard accessories; - Type of discs: Notched or plain 	30		

Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total																																																																
																																																																			
<p>9.0 Fast Moving Spare Parts for 75-85 Hp tractors : Detail of set of items to be supplied and delivered with each tractor supplied:</p> <table border="1" data-bbox="147 835 873 1860"> <thead> <tr> <th>item</th> <th>Specifications</th> <th>Quantities</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Lubricants</td> <td>15 Kg</td> <td>For 1 tractor</td> </tr> <tr> <td>2</td> <td>Fuel Filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>3</td> <td>Air Filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>4</td> <td>Oil filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>5</td> <td>Front Tire bearings</td> <td>2 sets</td> <td>1 Large and 1 small</td> </tr> <tr> <td>6</td> <td>Wild level Bearings</td> <td>2sets</td> <td>1 Large and 1 small</td> </tr> <tr> <td>7</td> <td>Trailer bearings</td> <td>1 sets</td> <td></td> </tr> <tr> <td>8</td> <td>Tractor tires</td> <td>1 set</td> <td>For front tire</td> </tr> <tr> <td>9</td> <td>Tractor belts</td> <td>5 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>10</td> <td>Wild level disc plough Tires</td> <td>1</td> <td>For 1 wide level disc</td> </tr> <tr> <td>11</td> <td>Thresher- belts</td> <td>3 sets</td> <td>For 1 Thresher</td> </tr> <tr> <td>12</td> <td>Thresher- tires</td> <td>1 sets</td> <td>For 1 Thresher</td> </tr> <tr> <td>13</td> <td>Jack (lifter) 8 tons</td> <td>1</td> <td>For 1 tractor</td> </tr> <tr> <td>14</td> <td>Maintenance tools set with bag</td> <td>1</td> <td>For 1 tractor</td> </tr> <tr> <td>15</td> <td>Supply and delivery of engine oil of good quality suitable for tractor engines.</td> <td>25 liter</td> <td>For 1 tractor</td> </tr> </tbody> </table>	item	Specifications	Quantities	Use	1	Lubricants	15 Kg	For 1 tractor	2	Fuel Filter	4 sets	For 1 tractor	3	Air Filter	4 sets	For 1 tractor	4	Oil filter	4 sets	For 1 tractor	5	Front Tire bearings	2 sets	1 Large and 1 small	6	Wild level Bearings	2sets	1 Large and 1 small	7	Trailer bearings	1 sets		8	Tractor tires	1 set	For front tire	9	Tractor belts	5 sets	For 1 tractor	10	Wild level disc plough Tires	1	For 1 wide level disc	11	Thresher- belts	3 sets	For 1 Thresher	12	Thresher- tires	1 sets	For 1 Thresher	13	Jack (lifter) 8 tons	1	For 1 tractor	14	Maintenance tools set with bag	1	For 1 tractor	15	Supply and delivery of engine oil of good quality suitable for tractor engines.	25 liter	For 1 tractor	30 sets		
item	Specifications	Quantities	Use																																																																
1	Lubricants	15 Kg	For 1 tractor																																																																
2	Fuel Filter	4 sets	For 1 tractor																																																																
3	Air Filter	4 sets	For 1 tractor																																																																
4	Oil filter	4 sets	For 1 tractor																																																																
5	Front Tire bearings	2 sets	1 Large and 1 small																																																																
6	Wild level Bearings	2sets	1 Large and 1 small																																																																
7	Trailer bearings	1 sets																																																																	
8	Tractor tires	1 set	For front tire																																																																
9	Tractor belts	5 sets	For 1 tractor																																																																
10	Wild level disc plough Tires	1	For 1 wide level disc																																																																
11	Thresher- belts	3 sets	For 1 Thresher																																																																
12	Thresher- tires	1 sets	For 1 Thresher																																																																
13	Jack (lifter) 8 tons	1	For 1 tractor																																																																
14	Maintenance tools set with bag	1	For 1 tractor																																																																
15	Supply and delivery of engine oil of good quality suitable for tractor engines.	25 liter	For 1 tractor																																																																

Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<p>10.0 Agriculture Tractor 45-50 Hp: Provision of agriculture tractor 40-45 Hp (<u>Massey Ferguson , Taffee ,New Holland , Belarus OR Equivalent quality</u>). This standard specifications are related to the 2 mini 45-50 HP agricultural tractor to suit sandy clay soils: Technical Specifications: Engine: -</p> <ul style="list-style-type: none"> - Diesel, 3-4 cylinders in line with replaceable cylinder sleeves developing - Machine power (45- 50) HP at engine rated speed of 1,400-2,250 rpm. <p>Air cleaner:-</p> <ul style="list-style-type: none"> - Efficient, heavy duty type consisting of two parts:- - Pre-cleaner, followed by: - Main air filter, dry or oil bath type. <p>Fuel system: - Consisting of: -</p> <ul style="list-style-type: none"> - Metallic fuel tanks of minimum capacity not less than 45 liters, fitted with - Strainer in the fuel filling opening. - Manual operated fuel lift pump. - Twin or dual stage fuel filter with replaceable elements. - Fuel injection pump with mechanical or pneumatic governor. <p>Lubrication system: - Composed of: -</p> <ul style="list-style-type: none"> - High capacity force - feed lubrication pump of gear, piston or rotary type (gear type) equipped with oil strainer. - Efficient oil filter with a by-pass valve and replaceable element. <p>Cooling system: - Water-cooled system suitable for continuous operation under hot tropical climate (where ambient temperature may reach - 50oc). The system consists of:-</p> <ul style="list-style-type: none"> - Centrifugal type water pump. - High capacity cooler radiator. - High capacity fan. - Thermostat. <p>Electrical equipment:-</p> <ul style="list-style-type: none"> - Heavy-duty battery 12 volts, 90-100 amps hour. - Electrical starting system. 	30		

Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<ul style="list-style-type: none"> - Electric generator (alternator). - Voltage regulator. <p>Instrument panel:-</p> <ul style="list-style-type: none"> - Temperature gauge. - Oil pressure gauge. - Fuel level indicator. - Battery charger indicator. - Tachometer (rpm). - Speedometer (km/hr). - Hour meter. - Air cleaner blockage indicator. - Horn. <p>Lighting system:-</p> <ul style="list-style-type: none"> - Head and rear lights. - Brakes and direction indicator lights. - Rear tractor warning lights. - Rear field flood lights. - Pin type trailer socket. - N.B. All electrical circuits to be protected by individual fuses. <p>Transmission:-</p> <ul style="list-style-type: none"> - Clutch: Dual or single dry clutch plate or multi disc wet type. - Gearbox: Synchronized constant mesh or sliding spur. Manual change with high and low ratio combination to provide minimum 8 forward and 2 reverse speeds. - Speed range 1.5-30 km/hr. - Differential lock: Engage when necessary. <p>Hydraulic system:- Consisting of: -</p> <ul style="list-style-type: none"> - Gear or piston type pump with pressure range 19 MPa and minimum lift Capacity of 1400 kg. - Automatic draft and position control independent of implement weight or length. - Three points linkage of category II with adjustable upper arm, right lift arm and check - Chains. Check chains to be of high quality steel. - External service valve for both single and double acting cylinders with sealed coupling and - Two outlets for remote control of implements. Safety cover for external service outlets to Be provided. <p>Steering:-</p>			

Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
<ul style="list-style-type: none"> - Hydrostatic or manual. Power take off shaft:- <ul style="list-style-type: none"> - Independent, rear, two speed 500-550 rpm, no less than 6 splines and 950-1100 rpm, up to 21 splines with protective cover, clockwise rotation. - . Draw bar:- <ul style="list-style-type: none"> - High quality steel swinging type with adjustable height. - Minimum ground clearance 340 mm. Axle tread adjustment:- <ul style="list-style-type: none"> - Front track: 1200-2000mm. - Rear track: 1200-2200 mm. Wheels and tyres:- <ul style="list-style-type: none"> - Steel disc wheel - Tube tyres from natural rubber, heavy duty type. - Type of regular agricultural tread type of the following size:- - Front: 6.00 X 16 (6 PR)- 6.50 X 16 (6 PR)- - Rear : 12.0/11 -28 (6 PR)- 12.5/11 -28 (6 PR) Breaks:- <ul style="list-style-type: none"> - Fitted with efficient braking system of oil immersed disc brakes. - To be foot operated independently for right and left sides and equipped with interlocking device. - Hand operated parking brake to be provided. Other requirements:- <ul style="list-style-type: none"> - Comfortable seat with back rest and position adjustment. - Front weights and rear wheel weights. - Tool box fixed to the tractor with the following contents:- - 3 ton hydraulic jack. - Grease gun. - Foot operated air pump, or tractor operated air compressor. - pair of pliers (grip type and standard) - Set of open ended spanners to fit all tractor nuts and bolts. - Wheel spanner to fit front and rear wheel nits. - Sun shade with protection frame. Technical documentations: <ul style="list-style-type: none"> - Operation and service manual (Arabic & English) - Workshop manual 			

Description /Specifications of Goods*	Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total																																																
<p>- Parts list catalogue.</p> <p>Information plate:- Of durable material firmly fixed in an easily viewed position showing the following Information:-</p> <ul style="list-style-type: none"> - ☑Country of origin - Year of manufacturing - Tractor power (Hp & KW) - Make and model - Engine serial number - Chassis serial number. <p>Guarantee:- Minimum guarantee period for 12 months (one year) or 1,500 hours of filed operation whichever comes first.</p> 																																																			
<p>11. Fast Moving Spare Parts for tractor 45-50 Hp: Supply of fast moving spare parts set to be provided with each 45-50 Hp tractor.</p> <table border="1" data-bbox="146 1186 836 1911"> <thead> <tr> <th>item</th> <th>Specifications</th> <th>Quantities</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Lubricants</td> <td>20 Kg</td> <td>For all machines and equipment</td> </tr> <tr> <td>2</td> <td>fuel Filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>3</td> <td>Oil filter</td> <td>4 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>4</td> <td>Front Tire bearings</td> <td>2 sets</td> <td>1 Large and 1 small</td> </tr> <tr> <td>5</td> <td>Chisel Bearings</td> <td>2sets</td> <td>1 Large and 1 small</td> </tr> <tr> <td>6</td> <td>Trailer bearings</td> <td>1 sets</td> <td></td> </tr> <tr> <td>7</td> <td>Front Tractor tires</td> <td>1 set</td> <td>For 40-45 hp tractors</td> </tr> <tr> <td>8</td> <td>Tractor belts</td> <td>5 sets</td> <td>For 1 tractor</td> </tr> <tr> <td>9</td> <td>Chisel Axle</td> <td>1 set</td> <td>For 1 chisel</td> </tr> <tr> <td>10</td> <td>Thresher-belts</td> <td>3 sets</td> <td>For 1 Threshers</td> </tr> <tr> <td>11</td> <td>Thresher-tires</td> <td>1 sets</td> <td>For 1 Thresher</td> </tr> </tbody> </table>	item	Specifications	Quantities	Use	1	Lubricants	20 Kg	For all machines and equipment	2	fuel Filter	4 sets	For 1 tractor	3	Oil filter	4 sets	For 1 tractor	4	Front Tire bearings	2 sets	1 Large and 1 small	5	Chisel Bearings	2sets	1 Large and 1 small	6	Trailer bearings	1 sets		7	Front Tractor tires	1 set	For 40-45 hp tractors	8	Tractor belts	5 sets	For 1 tractor	9	Chisel Axle	1 set	For 1 chisel	10	Thresher-belts	3 sets	For 1 Threshers	11	Thresher-tires	1 sets	For 1 Thresher	30 sets		
item	Specifications	Quantities	Use																																																
1	Lubricants	20 Kg	For all machines and equipment																																																
2	fuel Filter	4 sets	For 1 tractor																																																
3	Oil filter	4 sets	For 1 tractor																																																
4	Front Tire bearings	2 sets	1 Large and 1 small																																																
5	Chisel Bearings	2sets	1 Large and 1 small																																																
6	Trailer bearings	1 sets																																																	
7	Front Tractor tires	1 set	For 40-45 hp tractors																																																
8	Tractor belts	5 sets	For 1 tractor																																																
9	Chisel Axle	1 set	For 1 chisel																																																
10	Thresher-belts	3 sets	For 1 Threshers																																																
11	Thresher-tires	1 sets	For 1 Thresher																																																

Description /Specifications of Goods*				Estimated Quantity over the Period of LTA	Unit Price (DAP Khartoum State)	Total
12	Jack 8 tan (lifter suitable for 40-45 tractor)	1	For 1 tractor			
13	Maintenance standard tools set with tool kit	1	For 1 tractor			
14	Supply and delivery of engine oil of good quality suitable for tractor engines (liter).	25 liter	For 1 tractor			

Name of Bidder (Company / Firm):

Authorized signature:

Name of Authorized signatory:

Functional Title:

FORM G: Form of Bid Security

**Bid Security must be issued using the official letterhead of the Issuing Bank.
Except for indicated fields, no changes may be made on this template.**

To: UNDP
[Insert contact information as provided in Data Sheet]

WHEREAS [Name and address of Bidder] (hereinafter called “the Bidder”) has submitted a Bid to UNDP dated [Click here to enter a date](#) to execute goods and/or services [Insert Title of Goods and/or Services] (hereinafter called “the Bid”):

AND WHEREAS it has been stipulated by you that the Bidder shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security if the Bidder:

- a) Fails to sign the Contract after UNDP has awarded it;
- b) Withdraws its Bid after the date of the opening of the Bids;
- c) Fails to comply with UNDP’s variation of requirement, as per ITB instructions; or
- d) Fails to furnish Performance Security, insurances, or other documents that UNDP may require as a condition to rendering the contract effective.

AND WHEREAS we have agreed to give the Bidder such Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Bidder, up to a total of [*amount of guarantee*] [*in words and numbers*], such sum being payable in the types and proportions of currencies in which the Price Bid is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [*amount of guarantee as aforesaid*] without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid up to 30 days after the final date of validity of bids.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

Signature: _____
Name: _____
Title: _____
Date: _____
Name of Bank _____
Address _____

[Stamp with official stamp of the Bank]

FORM H: Form of Performance Security

(This must be finalized using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made in this template.)

To: UNDP
[Insert contact information as provided in Data Sheet]

WHEREAS *[name and address of Contractor]* (hereinafter called “the Contractor”) has undertaken, in pursuance of Contract No. *Click to enter* dated *Click to enter*, to deliver the goods and execute related services *Click here to enter text*. (hereinafter called “the Contract”):

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract:

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Contractor, up to a total of *[amount of guarantee]* *[in words and numbers]*, such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of *[amount of guarantee as aforesaid]* without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid until a date 30 days from the date of issue by UNDP of a certificate of satisfactory performance and full completion of services by the Contractor.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

Date

Name of Bank

Address