

ANNEX C – FINANCIAL OFFER FORM: RFP/HCR/KAD/SUP/2021/02 FOR THE CONSTRUCTION WORKS AT UNHCR KADUGLI SUB-OFFICE, SOUTH KORDOFAN, SUDAN.

The bidders are requested to fill the price information in the below table. Price quoted must be VAT exclusive. Bidders also requested to fill legislative information below the table:

No.	DESCRIPTION	UNIT	QTY	Unit Price (USD)	Total Price (USD)
1	MOBILIZATION			*	
1.1	Mobilization of labor, mobile workshop to be used for fixing maintaining and repairing of any kind of work such as steel, carpentryetc.	JOB	1		
2	SITE CLEARANCE	-			
The co	ntractor shall exercise due care to avoid damages to existing structure an	d facilities			
2.1	Clearing the site after completing the whole Job and before handover.	JOB	1		
3	NEW WORKS: BEDROOMS / TOILETS / KITCHENS (2ND FLR)				
BEDRO	OOMS / TOILETS / KITCHEN				
3.1	Build new brick walls to create zone (as shows with attached	M²	415		
	drawings) build with red bricks thick of 20cm, height of 3 meter, with C/S 1:5 mortar, includes door and windows beams, rate includes				
	materials, labor and all related works.				
3.2	Supply materials and cast reinforced concrete (1:2:4) with 4Ø12mm steel bars for ring beams 20x25cm, rate to include form works, steel	M ³	11		
	works and all related works				
3.3	Supply materials and Plaster new walls/Partitions, includes sills, door	M ²	700		
	sills and corners, smooth plaster with C/S (1:6), rate includes materials, labor and all related works				
3.4	Supply and Apply quick drying prime (Suitable for interior walls) two	M ²	700	_	
	(02) coats to make the surface of walls adhesive to receive new paint.	<u> </u>	<u> </u>		
3.5	Supply and Apply paint (suitable for interior walls) 2 layers of paint (off-white color) Paint should be washable/non gloss type, quality	M ²	700		
	Solvent Free emulsion for interior use. Low Odour, rate includes all				
	materials and related works				
TOILE	rs				
3.6	Supply materials, prepare/lay internal water network for new toilets,	LS	5		
	using PPR pipes %''high quality Cold/Hot, and drainage/sewage pipes using PVC pipes 2 & 4'' , rate includes all related work				
3.7	Supply materials, prepare internal power network, using high quality	LS	5	1	
	wires for new toilets, for points: water heater, mirror exhaust fan,				
3.8	light, switches, rate includes all related materials and works Supply and install new wall tiles 20X50 cm/or approved size, with C/S	M ²	145	<u> </u>	
	mortar 1:6 to toilets height of wall, rate includes preparation of wall,				
	removing old tiles (where required) and all related works			<u> </u>	
3.9	Supply and install new floor tiles 20X20 cm/or approved size, design to match wall tiles, with C/S mortar 1:6, for toilets floors, rate includes	M²	32		
	preparation of floor, removing old tiles (where required) and all				
	related works				



	×				
3.10	Supply and install 90X90 CM fibre shower of approved quality, includes water mixer with flexible shower hose of approved quality,	LS	5		
	rate includes all connections.				
	Fittings to be approved by the engineer before installation.				
3. 11	Supply and install high quality hand wash basin, white vitreous china	LS	7		
	with stand, includes centre water tap, rate includes water				
	connections.				
	Fittings to be approved by the engineer before installation.			<u> </u>	
3.12	Supply and install high quality English seat, with C.I. enamel painted	LS	5		
	brackets, with water hose, rate includes all water connections. <u>Fittings</u>				
	to be approved by the engineer before installation.				
3. 13	Supply and fix toilet mirror and accessories set of approved	No.	5		
	type/design. Fittings to be approved by the engineer before				
	installation.			<u> </u>	
3.14	Supply, and installation of water heaters 30 LTR in kitchens and	No.	5		
	toilets, rate includes power/water connections, switch and all related				
	materials. The Contractor Must submit product description/sample				
	prior to purchase/Fittings to be approved by the engineer before				
	installation.				
КІТСН	ENS				
3. 15	Supply materials, prepare/lay internal water network for new kitchen,	LS	1	1	
5.15	using PPR pipes 1/2" high quality Cold/Hot, and drainage/sewage pipes		1		
	using PVC pipes 2 ", rate includes all related work.				
3.16	Supply materials, prepare internal power network, using high quality	LS	1	1	
5.10	wires for new kitchen, power points: water hetaireias fan, light,		1		
	switches, rate includes all related materials and works				
3. 17	Supply and install new wall tiles, with C/S mortar 1:6 to kitchen walls,	M ²	30	<u> </u>	
5.17	height of wall, rate to include all related works.		50		
3. 18	Supply and installation of High quality MDF open kitchen cabinets	ML	6	<u> </u>	
5.10	(Base cabinets only) standard dimensions, selected color/design		0		
	(includes all hardware & accessories needed), rate include marble				
	countertop with double sink and tap with water connections. The				
	contractor must submit the product description/sample/design prior				
	to supply, materials to be approved by the engineer before				
	installation.				
	<u></u>				
ROOF	S / CEILING	<u></u>			
ROOF	S / CEILING	<u>JI</u>			
ROOF 3. 19	Supply and fix roof truss structure frame as designed, made of steel I	M ²	305		
	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof	M ²	305		
	Supply and fix roof truss structure frame as designed, made of steel I	M ²	305		
	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof	M ²	305		
	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie	M ²	305		
3. 19	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories.				
3. 19	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick,				
3. 19	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled				
3. 19 3. 20	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories.	M ²	305		
3. 19 3. 20	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from	M ²	305		
3. 19 3. 20 3. 21	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel	M ²	305		
3. 19 3. 20 3. 21	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe.	M ²	305		
3. 19 3. 20 3. 21	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe. Supply and fix false ceiling panels 60x60cm, on aluminium mesh, fix to	M ²	305		
3. 19 3. 20 3. 21	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe. Supply and fix false ceiling panels 60x60cm, on aluminium mesh, fix to walls by nails and hang in the roof rectangular steel pipe by tying	M ²	305		
3. 19 3. 20 3. 21 3. 22	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe. Supply and fix false ceiling panels 60x60cm, on aluminium mesh, fix to walls by nails and hang in the roof rectangular steel pipe by tying cables, contract should submit the product description/sample prior to purchase	M ²	305		
3. 19 3. 20 3. 21 3. 22 FLOOF	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe. Supply and fix false ceiling panels 60x60cm, on aluminium mesh, fix to walls by nails and hang in the roof rectangular steel pipe by tying cables, contract should submit the product description/sample prior to purchase	M ² M ²	305 300 290		
3. 19 3. 20 3. 21 3. 22	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe. Supply and fix false ceiling panels 60x60cm, on aluminium mesh, fix to walls by nails and hang in the roof rectangular steel pipe by tying cables, contract should submit the product description/sample prior to purchase	M ²	305		
3. 19 3. 20 3. 21 3. 22 FLOOF	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe. Supply and fix false ceiling panels 60x60cm, on aluminium mesh, fix to walls by nails and hang in the roof rectangular steel pipe by tying cables, contract should submit the product description/sample prior to purchase	M ² M ²	305 300 290		
3. 19 3. 20 3. 21 3. 22 FLOOF	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe. Supply and fix false ceiling panels 60x60cm, on aluminium mesh, fix to walls by nails and hang in the roof rectangular steel pipe by tying cables, contract should submit the product description/sample prior to purchase	M ² M ²	305 300 290		
3. 19 3. 20 3. 21 3. 22 FLOOF 3. 23	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe. Supply and fix false ceiling panels 60x60cm, on aluminium mesh, fix to walls by nails and hang in the roof rectangular steel pipe by tying cables, contract should submit the product description/sample prior to purchase RS Provide and install Porcelain floor tiles 60x60 cm/or approved size, white/off-white color, with C/S mortar 1:8. The contractor should submit the product description/sample prior to purchase, rate include all related materials and works	M ² M ² M ²	305 300 290 235		
3. 19 3. 20 3. 21 3. 22 FLOOF	Supply and fix roof truss structure frame as designed, made of steel I section and rectangular steel pipes 10x5cm and 8x4cm for roof support grids, rate includes anti rust and final paint, fixing on the tie herons using all necessary accessories. Supply and fix a pre-painted corrugated steel sheets 0.35mm thick, rate includes fixing steel gutter, fixing on the purlins, trusses drilled nails with washer and all necessary accessories. Supply materials and fix insulation layer (5cm wool) to roof from inside (for waiting area) fix to roof by nails and roof rectangular steel pipe. Supply and fix false ceiling panels 60x60cm, on aluminium mesh, fix to walls by nails and hang in the roof rectangular steel pipe by tying cables, contract should submit the product description/sample prior to purchase	M ² M ²	305 300 290		



3. 25	Supply and fix 100X220 cm size solid internal door, import made; preferred Turkish made, price to include frame and door, fixing with hinges, locking system etc. <u>The Contractor should submit the product</u> <u>description/sample prior to purchase</u>	No.	4		
3.26	Supply and fix 150X220 cm size external aluminium door, using aluminium profile for door and frame of high quality, water and dust proof, price to include frame and door, glass, fixing with hinges, locking system etc. <u>The Contractor should submit the product</u> <u>description/sample prior to purchase</u>	No.	2		
3. 27	Supply and fix 85X220 cm size new UPVC door, using PVC for door and frame, high quality materials, price to include fixing with hinges, locking system, paint, etc.	No.	5		
3. 28	Supply and fix Aluminium sliding windows of High quality, water and dust proof, price to include frame, glass, fixing with hinges, locking system, mosquito net, etc., <u>The contractor sshould submit the</u> product description/sample prior to purchase	M ²	12		
3. 29	Supply and fix 0.50X0.75 cm aluminium high-level windows, using aluminium for windows and frame, of high-quality materials, water and dust proof, price to includes glass, fixing with hinges, locking system, paint, etc. <u>The Contractor should submit the product</u> <u>description/sample prior to purchase</u>	M ²	5		
4	STAIRCASE				
4.1	Remove existing Zink roof cover of staircase, prepare for new roof works.	JOB	1		
4. 2	Supply materials and cast reinforced concrete (1:2:4) with 4Ø12mm steel bars for staircase cover 18cm, rate to include form works, steel works and all related works	M ³	3		
4.3	Supply materials and Plaster new ceiling, includes sills, corners, smooth plaster with C/S (1:6), rate includes materials, labor and all related works	M²	15		
4.4	Supply and Apply paint (suitable for interior ceiling) 2 layers of paint (white color) rate includes all materials and related works	M²	15		
5	STEEL GRILLS				
	all include for supplying 2X4cm rectangle heavy steel, labor, cutting, fixir ist red oxide or any approved paint and final coat of paint before delivery			riveting, et	c. and 2 coat of
5.1	Supply materials, fabricate and Fix vertical horizontally steel grills 2X4 cm to external and windows (ALL)	JOB	10		
6	ELECTRICAL SUPPLY & EQUIPMENT'S	<u>.</u>			
6. 1	wiring of new structures with internal pipes for electrical fittings, power points 13A, ceiling/wall lights, ceiling fans and light switches using 2.5 mm wires of approved quality, rate includes cost of wires, pipes, power points, switches, labor and connection to main distribution board	JOB	5		
6. 2	wiring of new structures with internal pipes for A/C units, using 4.00mm wires of approved high quality and power point for Acs power, price includes cost of wires, pipes, switches, labor and connection to main distribution board.	JOB	6		
6.3	wiring of new structures with internal pipes for TV satellite cable, using signal cables of approved quality and point for receiver connection, price includes cost of wires, pipes, points, labor and connection to main SAT receiver.	JOB	5		
6.4	Supply and installation of new Main distribution board with main switch, 3 phases of approved type (preferred MEM or LEGRAND) with set of fuses and connection to main power lines, rate includes all related materials, works. <u>The Contractor Must submit the product</u> description/sample prior to purchase	LS	1		



c -						
6.5	Supply and installation of 16A socket of approved quality, AC type, rate includes wires and labor	No.	6			
6.6	Supply and installation of 13A socket of approved quality, wall type, rate includes wires and labor	No.	18	<u> </u>		
6.7	Supply and installation of led lamp, 4 FT of approved quality (preferred Philips) wall type, rate includes wires, switches and labor	No.	12			
6.8	Supply and installation of circular 20 watt led lamp of approved quality (preferred Philips) false ceiling type, rate includes wires, switches and labor	No.	44			
6. 9	Supply and installation of ceiling fan-false ceiling type (preferred brand KDK or ORIENT), rate includes wires, switches and related works	No.	7			
6. 10	Supply and installation of exhaust fan 40 cm for kitchen of approved type, rate includes all related works	No.	1			
6. 11	Supply and installation of exhaust fan 30 cm of approved type, rate includes all related works	No.	5			
6. 12	Supply and installation of smoke detectors ceiling type (preferred battery powered)	No.	6			
7 Rate in	HAVC ncludes supplying, fixing, installation units of approved quality, wiring, pow	wer point	s and swi	tchese	etc.	
7.1	Supply and installation of Air condition 24.000 BTU split type (LG dual Inverter or equivalent) rate includes all connections, wires complete. <u>The Contractor Must</u> submit the product description/sample prior to purchase	No.	2			
		No.	4	1		 -
7.2	Supply and installation of Air condition 18.000 BTU split type (LG dual Inverter or equivalent) rate includes all needed connections, wires, complete installation. The <u>Contractor Must submit the product</u> description/sample prior to purchase					
7.2 8	Inverter or equivalent) rate includes all needed connections, wires,			<u></u>		
	Inverter or equivalent) rate includes all needed connections, wires, complete installation. The <u>Contractor Must submit the product</u> <u>description/sample prior to purchase</u> EXTERNAL TERRACE Build new brick walls for terrace (as shows with attached drawings) for terrace wall height of 1 meter, build with red bricks thick of 20cm, with C/S 1:5 mortar, rate includes materials, labor and all related	M ²	70			
8	Inverter or equivalent) rate includes all needed connections, wires, complete installation. The <u>Contractor Must submit the product</u> <u>description/sample prior to purchase</u> EXTERNAL TERRACE Build new brick walls for terrace (as shows with attached drawings) for terrace wall height of 1 meter, build with red bricks thick of 20cm, with C/S 1:5 mortar, rate includes materials, labor and all related works. Supply materials and Plaster new walls, includes sills and corners, smooth plaster with C/S (1:6), rate includes materials, labor and all		70 140			
8 8.1	Inverter or equivalent) rate includes all needed connections, wires, complete installation. The <u>Contractor Must submit the product</u> <u>description/sample prior to purchase</u> EXTERNAL TERRACE Build new brick walls for terrace (as shows with attached drawings) for terrace wall height of 1 meter, build with red bricks thick of 20cm, with C/S 1:5 mortar, rate includes materials, labor and all related works. Supply materials and Plaster new walls, includes sills and corners, smooth plaster with C/S (1:6), rate includes materials, labor and all related works Supply and Apply paint (suitable for exterior walls) 2 layers of paint (white color) for external building new elevation, rate includes all	M ²				
8 8.1 8.2	Inverter or equivalent) rate includes all needed connections, wires, complete installation. The <u>Contractor Must submit the product</u> <u>description/sample prior to purchase</u> EXTERNAL TERRACE Build new brick walls for terrace (as shows with attached drawings) for terrace wall height of 1 meter, build with red bricks thick of 20cm, with C/S 1:5 mortar, rate includes materials, labor and all related works. Supply materials and Plaster new walls, includes sills and corners, smooth plaster with C/S (1:6), rate includes materials, labor and all related works Supply and Apply paint (suitable for exterior walls) 2 layers of paint	M ²	140			
8 8.1 8.2 8.3	Inverter or equivalent) rate includes all needed connections, wires, complete installation. The <u>Contractor Must submit the product</u> <u>description/sample prior to purchase</u> EXTERNAL TERRACE Build new brick walls for terrace (as shows with attached drawings) for terrace wall height of 1 meter, build with red bricks thick of 20cm, with C/S 1:5 mortar, rate includes materials, labor and all related works. Supply materials and Plaster new walls, includes sills and corners, smooth plaster with C/S (1:6), rate includes materials, labor and all related works Supply and Apply paint (suitable for exterior walls) 2 layers of paint (white color) for external building new elevation, rate includes all materials and related works supply and fix steel guard grill, height of 50cm, fix on terrace walls, rate includes strong steel supporter at 2 meters along walls, rate	M ² M ² LS	140			
8 8.1 8.2 8.3 8.4	Inverter or equivalent) rate includes all needed connections, wires, complete installation. The <u>Contractor Must submit the product</u> <u>description/sample prior to purchase</u> EXTERNAL TERRACE Build new brick walls for terrace (as shows with attached drawings) for terrace wall height of 1 meter, build with red bricks thick of 20cm, with C/S 1:5 mortar, rate includes materials, labor and all related works. Supply materials and Plaster new walls, includes sills and corners, smooth plaster with C/S (1:6), rate includes materials, labor and all related works Supply and Apply paint (suitable for exterior walls) 2 layers of paint (white color) for external building new elevation, rate includes all materials and related works supply and fix steel guard grill, height of 50cm, fix on terrace walls, rate includes strong steel supporter at 2 meters along walls, rate includes anti rust paint, paint, labor and related works. Supply and installation of new floor ceramic tiles 40X40 cm /or approved size, <u>white/off white color</u> of high quality, external type with C/S mortar 1:6 mix, rate includes preparation of floors and all	M ² M ² LS ML	140 1 70			
8.1 8.2 8.3 8.4 8.5	Inverter or equivalent) rate includes all needed connections, wires, complete installation. The <u>Contractor Must submit the product</u> <u>description/sample prior to purchase</u> EXTERNAL TERRACE Build new brick walls for terrace (as shows with attached drawings) for terrace wall height of 1 meter, build with red bricks thick of 20cm, with C/S 1:5 mortar, rate includes materials, labor and all related works. Supply materials and Plaster new walls, includes sills and corners, smooth plaster with C/S (1:6), rate includes materials, labor and all related works Supply and Apply paint (suitable for exterior walls) 2 layers of paint (white color) for external building new elevation, rate includes all materials and related works supply and fix steel guard grill, height of 50cm, fix on terrace walls, rate includes strong steel supporter at 2 meters along walls, rate includes anti rust paint, paint, labor and related works. Supply and installation of new floor ceramic tiles 40X40 cm /or approved size, <u>white/off white color</u> of high quality, external type with C/S mortar 1:6 mix, rate includes preparation of floors and all related works.	M ² M ² LS ML	140 1 70			



9.3	supply and installation of automatic water 1HP motor of approved quality complete with wiring and water connections.	No.	1	
10	WASTE WATER/DRAINGE			
10. 1	Supply & install 2" & 4 "U.P.V.C return/waste pipes, as appropriate, for all sanitary fittings up to soak away main line, with bobbins, nails etc., include all branches, elbows, bends, tees, plugs, union, clips, etc. including making holes in walls& floors & cutting trenches in any soil or through concrete or masonry, as per specifications. Rate to include all required materials.	LS	1	
10. 2	Supply & Build 45x45 cm manholes line throw all toilets to septic tank, build from bricks and cement mortar and concrete benches, smooth with 1:3 cement to sand paste, cover with good quality cast-iron manhole cover, to the satisfaction of the Engineer. Rate to include all needed work and materials to connect to network perfectly.	LS	1	
10.3	Ditto but gully- traps 30X30 cm	LS	1	
11	UNSEEN			
Unsee	n works			
11. 1	Miscellaneous (2.5%)	LS	1	
	Total Amount (USD)			

Validity of the offer:	
Total amount (without VAT):	
Total amount in words:	
Date:	
Name:	
Signature:	
In the capacity of:	
Duly authorized to Sign bid for and on behalf of:	
Official stamp:	